

Station	Date	Time	Latitude (°N)	Longitude	Depth (m)	Temperature	Salinity (psu)
1	2004/11/4	1840	25	122.1	5	23.19	34.35
1	2004/11/4	1840	25	122.1	25	22.19	34.28
1	2004/11/4	1840	25	122.1	50	21.99	34.29
2	2004/11/4	2150	25	122.5	5	26.13	34.56
2	2004/11/4	2150	25	122.5	25	26.14	34.56
2	2004/11/4	2150	25	122.5	50	25.8	34.54
3	2004/11/5	130	25	123	5	26.17	34.6
3	2004/11/5	130	25	123	25	26.18	34.6
3	2004/11/5	130	25	123	50	26.09	34.61
4	2004/11/5	640	24.5	123.5	5	26.06	34.64
4	2004/11/5	640	24.5	123.5	25	26.08	34.64
4	2004/11/5	640	24.5	123.5	50	26.08	34.64
5	2004/11/5	1025	24.5	122	5	26.09	34.53
5	2004/11/5	1025	24.5	122	25	25.98	34.54
5	2004/11/5	1025	24.5	122	50	25.23	34.56
6	2004/11/5	1545	24	121.6666	5	26.06	34.49
6	2004/11/5	1545	24	121.6666	25	25.69	34.51
6	2004/11/5	1545	24	121.6666	50	24.95	34.54
7	2004/11/5	1900	23.75	122	5	26.17	34.69
7	2004/11/5	1900	23.75	122	25	26.03	34.69
7	2004/11/5	1900	23.75	122	50	26.01	34.69
8	2004/11/5	2233	23.75	122.5	5	26.01	34.5
8	2004/11/5	2233	23.75	122.5	25	26.02	34.5
8	2004/11/5	2233	23.75	122.5	50	26.03	34.52
9	2004/11/6	440	23.75	123	5	26.26	34.37
9	2004/11/6	440	23.75	123	25	26.26	34.37
9	2004/11/6	440	23.75	123	50	26.27	34.37
10	2004/11/6	955	23	123	5	26.21	34.41
10	2004/11/6	955	23	123	25	26.2	34.41
10	2004/11/6	955	23	123	50	26.21	34.41
11	2004/11/6	1325	23	122.5	5	26.32	34.41
11	2004/11/6	1325	23	122.5	25	26.2	34.4
11	2004/11/6	1325	23	122.5	50	26.15	34.41
12	2004/11/6	1649	23	122	5	26.14	34.69
12	2004/11/6	1649	23	122	25	26.08	34.69
12	2004/11/6	1649	23	122	50	26.07	34.69
13	2004/11/6	1954	23	121.5	5	26.07	34.72
13	2004/11/6	1954	23	121.5	25	26.08	34.72
13	2004/11/6	1954	23	121.5	50	26.06	34.71
14	2004/11/6	2346	22.6666	121.25	5	26.03	34.61
14	2004/11/6	2346	22.6666	121.25	25	26.05	34.62
14	2004/11/6	2346	22.6666	121.25	50	25.84	34.67
15	2004/11/7	335	22.15	121	5	25.98	34.53
15	2004/11/7	335	22.15	121	25	25.98	34.54
15	2004/11/7	335	22.15	121	50	25.55	34.59

16	2004/11/7	800	22.25	121.5	5	26.07	34.66
16	2004/11/7	800	22.25	121.5	25	26.07	34.66
16	2004/11/7	800	22.25	121.5	50	26.02	34.67
17	2004/11/7	1219	22.25	122	5	26.1	34.48
17	2004/11/7	1219	22.25	122	25	25.97	34.49
17	2004/11/7	1219	22.25	122	50	25.99	34.52
18	2004/11/7	2000	22.25	122.5	5	26.12	34.45
18	2004/11/7	2000	22.25	122.5	25	26.16	34.46
18	2004/11/7	2000	22.25	122.5	50	26.15	34.48
19	2004/11/8	155	22.25	123	5	26.14	34.47
19	2004/11/8	155	22.25	123	25	26.14	34.47
19	2004/11/8	155	22.25	123	50	26.14	34.48
20	2004/11/8	710	21.5	123	5	25.8	34.54
20	2004/11/8	710	21.5	123	25	25.59	34.59
20	2004/11/8	710	21.5	123	50	25.55	34.62
21	2004/11/8	1025	21.5	122.5	5	26.31	34.63
21	2004/11/8	1025	21.5	122.5	25	26.25	34.62
21	2004/11/8	1025	21.5	122.5	50	25.88	34.61
22	2004/11/8	1335	21.5	122	5	26.34	34.69
22	2004/11/8	1335	21.5	122	25	26.25	34.69
22	2004/11/8	1335	21.5	122	50	26.19	34.69
23	2004/11/8	1644	21.5	121.5	5	26.09	34.68
23	2004/11/8	1644	21.5	121.5	25	25.9	34.7
23	2004/11/8	1644	21.5	121.5	50	25.74	34.71
24	2004/11/8	2006	21.5	121	5	26.31	34.69
24	2004/11/8	2006	21.5	121	25	26.31	34.69
24	2004/11/8	2006	21.5	121	50	26.04	34.69
25	2004/11/8	2336	21.5	120.5	5	26.33	34.57
25	2004/11/8	2336	21.5	120.5	25	26.34	34.57
25	2004/11/8	2336	21.5	120.5	50	26.35	34.57
26	2004/11/9	306	21.5	120	5	26.67	34.51
26	2004/11/9	306	21.5	120	25	26.68	34.51
26	2004/11/9	306	21.5	120	50	26.68	34.51
27	2004/11/9	616	21.5	119.5	5	26.48	34.48
27	2004/11/9	616	21.5	119.5	25	26.48	34.48
27	2004/11/9	616	21.5	119.5	50	26.36	34.49
28	2004/11/9	931	21.5	119	5	25.86	34.32
28	2004/11/9	931	21.5	119	25	25.84	34.32
28	2004/11/9	931	21.5	119	50	25.73	34.32
29	2004/11/9	1255	22	119	5	26.01	34.4
29	2004/11/9	1255	22	119	25	25.85	34.39
29	2004/11/9	1255	22	119	50	25.33	34.62
30	2004/11/9	1630	22	119.5	5	26.09	34.25
30	2004/11/9	1630	22	119.5	25	26.09	34.27
30	2004/11/9	1630	22	119.5	50	26.09	34.32
31	2004/11/9	2006	22	120	5	26.56	34.51

31	2004/11/9	2006	22	120	25	26.56	34.51
31	2004/11/9	2006	22	120	50	26.45	34.48
32	2004/11/9	2336	22	120.5	5	26.46	34.48
32	2004/11/9	2336	22	120.5	25	26.46	34.48
32	2004/11/9	2336	22	120.5	50	26.29	34.48
33	#####	1037	22.3666	120.3333	5	26.45	34.29
33	#####	1037	22.3666	120.3333	25	25.96	34.49
33	#####	1037	22.3666	120.3333	50	24.91	34.57
34	#####	1314	22.5	120	5	26.55	34.51
34	#####	1314	22.5	120	25	26.53	34.52
34	#####	1314	22.5	120	50	26.52	34.54
35	#####	1632	22.5	119.5	5	26.7	34.5
35	#####	1632	22.5	119.5	25	26.12	34.42
35	#####	1632	22.5	119.5	50	25.98	34.42
36	#####	1934	2.5	119	5	26.03	34.34
36	#####	1934	2.5	119	25	25.97	34.39
36	#####	1934	2.5	119	50	25.79	34.54
37	#####	2212	22.9166	119.1	5	24.77	34.48
37	#####	2212	22.9166	119.1	25	24.76	34.48
37	#####	2212	22.9166	119.1	50	-	-
38	#####	30	23	119.5	5	25.86	34.28
38	#####	30	23	119.5	25	25.97	34.41
38	#####	30	23	119.5	50	25	34.61
39	#####	309	23	119.9	5	26.09	34.35
39	#####	309	23	119.9	25	25.89	34.32
39	#####	309	23	119.9	50	26.02	34.44
40	#####	613	23.5	119.9	5	26.13	34.43
40	#####	613	23.5	119.9	25	26.08	34.42
40	#####	613	23.5	119.9	50	25.67	34.52
41	#####	902	23.5	119.4666	5	24.05	34.54
41	#####	902	23.5	119.4666	25	24.03	34.55
41	#####	902	23.5	119.4666	50	24.03	34.55
42	#####	1145	23.5	119	5	24.43	34.42
42	#####	1145	23.5	119	25	24.31	34.42
42	#####	1145	23.5	119	50	24.29	34.42
43	#####	1516	24	119	5	23.37	32.97
43	#####	1516	24	119	25	23.61	33.93
43	#####	1516	24	119	50	23.71	34.24
44	#####	1806	24	119.5	5	24.46	34.35
44	#####	1806	24	119.5	25	23.47	34.56
44	#####	1806	24	119.5	50	22.83	34.64
45	#####	2114	24	120	5	25.97	34.48
45	#####	2114	24	120	25	26.01	34.49
45	#####	2114	24	120	50	-	-
46	#####	15	24.5	120.5	5	25.87	34.5
46	#####	15	24.5	120.5	25	25.8	34.5

46 #####	15	24.5	120.5	50	25.81	34.5
47 #####	415	24.5	120	5	24.95	34.38
47 #####	415	24.5	120	25	25	34.52
47 #####	415	24.5	120	50	24.92	34.54
48 #####	723	24.5	119.5	5	24.35	34.4
48 #####	723	24.5	119.5	25	24.36	34.44
48 #####	723	24.5	119.5	50	23.99	34.56
49 #####	1206	25	120	5	22.61	31.52
49 #####	1206	25	120	25	22.91	32.66
49 #####	1206	25	120	50	23.7	34.19
50 #####	1600	25	120.5	5	23.01	31.78
50 #####	1600	25	120.5	25	22.99	31.85
50 #####	1600	25	120.5	50	24.28	34.29
51 #####	2008	25.0833	120.9	5	25.57	34.51
51 #####	2008	25.0833	120.9	25	25.56	34.51
51 #####	2008	25.0833	120.9	50	25.22	34.41
52 #####	5	25.5	120.5	5	22.42	31.1
52 #####	5	25.5	120.5	25	22.65	31.73
52 #####	5	25.5	120.5	50	23.66	33.81
53 #####	459	26	121	5	22.44	31.05
53 #####	459	26	121	25	22.51	31.26
53 #####	459	26	121	50	23.51	33.44
54 #####	842	25.5	121	5	23.94	33.41
54 #####	842	25.5	121	25	23.98	33.45
54 #####	842	25.5	121	50	24.22	33.98
55 #####	1217	25.5	121.5	5	23.56	32.91
55 #####	1217	25.5	121.5	25	23.83	33.7
55 #####	1217	25.5	121.5	50	23.19	33.94
56 #####	1546	26	121.5	5	22.9	31.95
56 #####	1546	26	121.5	25	23.55	33.46
56 #####	1546	26	121.5	50	23.59	33.53
57 #####	1910	26	122	5	22.71	34.46
57 #####	1910	26	122	25	22.65	34.45
57 #####	1910	26	122	50	20.32	34.54
58 #####	2225	26	122.5	5	24.49	34.53
58 #####	2225	26	122.5	25	23.64	34.5
58 #####	2225	26	122.5	50	19.78	34.66
59 #####	109	26	123	5	23.81	34.34
59 #####	109	26	123	25	23.38	34.59
59 #####	109	26	123	50	21.75	34.76
60 #####	446	25.5	123	5	25.89	34.66
60 #####	446	25.5	123	25	25.89	34.66
60 #####	446	25.5	123	50	25.59	34.69
61 #####	822	25.5	122.5	5	24.29	34.48
61 #####	822	25.5	122.5	25	21.85	34.51
61 #####	822	25.5	122.5	50	17.27	34.65

62 #####	1117	25.5	122	5	22.37	34.3
62 #####	1117	25.5	122	25	21.56	34.28
62 #####	1117	25.5	122	50	20.1	34.34