

Station	Date	Time	Latitude(N	Longitude(E	Depth(m)	Temperature	Salinity(psu)
1	2013/5/18	0229-0335	24.8666	122	5	25.44	33.89
1	2013/5/18	0229-0335	24.8666	122	25	24.74	34.02
1	2013/5/18	0229-0335	24.8666	122	50	23.89	34.12
2	2013/5/17	2257-0005	25.0333	122.5	5	27.54	34.33
2	2013/5/17	2257-0005	25.0333	122.5	25	25.06	34.15
2	2013/5/17	2257-0005	25.0333	122.5	50	23.76	34.32
3	2013/5/17	1905-2025	25.0166	122.9833	5	26.03	34.54
3	2013/5/17	1905-2025	25.0166	122.9833	25	25.43	34.65
3	2013/5/17	1905-2025	25.0166	122.9833	50	24	34.68
4	2013/5/17	1535-1623	24.5333	122.5166	5	26.66	34.51
4	2013/5/17	1535-1623	24.5333	122.5166	25	25.8	34.59
4	2013/5/17	1535-1623	24.5333	122.5166	50	24.57	34.63
5	2013/5/17	1254-1345	24.5166	122	5	27.53	34.31
5	2013/5/17	1254-1345	24.5166	122	25	25.66	34.33
5	2013/5/17	1254-1345	24.5166	122	50	22.53	34.63
6	2013/5/17	1000-1044	24	121.6833	5	27.13	34.18
6	2013/5/17	1000-1044	24	121.6833	25	24.62	34.44
6	2013/5/17	1000-1044	24	121.6833	50	22.49	34.55
7	2013/5/17	0730-0835	23.75	121.9833	5	26.19	34.26
7	2013/5/17	0730-0835	23.75	121.9833	25	24.89	34.66
7	2013/5/17	0730-0835	23.75	121.9833	50	23.17	34.69
8	2013/5/17	0413-0538	23.7333	122.4833	5	25.85	34.65
8	2013/5/17	0413-0538	23.7333	122.4833	25	25.23	34.66
8	2013/5/17	0413-0538	23.7333	122.4833	50	23.33	34.7
9	2013/5/17	2356-0040	23.75	122	5	26.36	34.63
9	2013/5/17	2356-0040	23.75	122	25	24.93	34.67
9	2013/5/17	2356-0040	23.75	122	50	23.58	34.69
10	2013/5/16	0503-0617	23.05	122.9833	5	26.31	34.69
10	2013/5/16	0503-0617	23.05	122.9833	25	24.67	34.67
10	2013/5/16	0503-0617	23.05	122.9833	50	23.94	34.68
11	2013/5/16	1618-1700	22.9833	122.5	5	26.01	34.67
11	2013/5/16	1618-1700	22.9833	122.5	25	24.73	34.7
11	2013/5/16	1618-1700	22.9833	122.5	50	22.76	34.72
12	2013/5/16	1331-1435	23	121.9833	5	28.2	34.42
12	2013/5/16	1331-1435	23	121.9833	25	26.81	34.48
12	2013/5/16	1331-1435	23	121.9833	50	24.33	34.77
13	2013/5/16	1026-1145	23	121.5	5	27.56	34.31
13	2013/5/16	1026-1145	23	121.5	25	26.43	34.32
13	2013/5/16	1026-1145	23	121.5	50	25.58	34.68
14	2013/5/16	1813-1855	22.65	121.25	5	27.34	34.23
14	2013/5/16	1813-1855	22.65	121.25	25	24.94	34.41
14	2013/5/16	1813-1855	22.65	121.25	50	23.6	34.65
15	2013/5/16	2128-2222	22.2333	121.0166	5	27.73	34.34
15	2013/5/16	2128-2222	22.2333	121.0166	25	26.07	34.65
15	2013/5/16	2128-2222	22.2333	121.0166	50	23.22	34.66

16	2013/5/16	0125-0204	22.2333	121.5	5	27.62	34.45
16	2013/5/16	0125-0204	22.2333	121.5	25	27.06	34.46
16	2013/5/16	0125-0204	22.2333	121.5	50	23.91	34.78
17	2013/5/15	0500-0558	22.2333	122	5	27.43	34.47
17	2013/5/15	0500-0558	22.2333	122	25	26.12	34.56
17	2013/5/15	0500-0558	22.2333	122	50	24.94	34.63
18	2013/5/15	0838-0925	22.25	122.5166	5	26.72	34.54
18	2013/5/15	0838-0925	22.25	122.5166	25	25.24	34.66
18	2013/5/15	0838-0925	22.25	122.5166	50	23.31	34.68
19	2013/5/15	1205-1244	22.25	123	5	26.74	34.61
19	2013/5/15	1205-1244	22.25	123	25	24.76	34.65
19	2013/5/15	1205-1244	22.25	123	50	23.27	34.7
20	2013/5/15	1700-1744	21.4833	123	5	25.98	34.55
20	2013/5/15	1700-1744	21.4833	123	25	24.6	34.59
20	2013/5/15	1700-1744	21.4833	123	50	23.92	34.65
21	2013/5/15	0700-0810	21.5	122.5166	5	27.63	34.38
21	2013/5/15	0700-0810	21.5	122.5166	25	25.22	34.64
21	2013/5/15	0700-0810	21.5	122.5166	50	24.35	34.63
22	2013/5/15	0352-0523	21.4833	122.0333	5	29.07	34.3
22	2013/5/15	0352-0523	21.4833	122.0333	25	28.25	34.38
22	2013/5/15	0352-0523	21.4833	122.0333	50	26.58	34.59
23	2013/5/15	0020-0138	21.5	121.5166	5	29.08	34.33
23	2013/5/15	0020-0138	21.5	121.5166	25	28.28	34.32
23	2013/5/15	0020-0138	21.5	121.5166	50	26.59	34.68
24	2013/5/14	2100-2223	21.4833	121.0333	5	29.18	34.21
24	2013/5/14	2100-2223	21.4833	121.0333	25	28.19	34.36
24	2013/5/14	2100-2223	21.4833	121.0333	50	26.98	34.5
25	2013/5/12	1911-2045	21.4833	120.5166	5	28.04	34.42
25	2013/5/12	1911-2045	21.4833	120.5166	25	26.92	34.51
25	2013/5/12	1911-2045	21.4833	120.5166	50	23.11	34.17
26	2013/5/12	1309-1403	21.5	120	5	27.82	33.72
26	2013/5/12	1309-1403	21.5	120	25	28.01	34.32
26	2013/5/12	1309-1403	21.5	120	50	26.9	34.54
27	2013/5/12	1255-1358	21.5	119.4833	5	27.23	33.8
27	2013/5/12	1255-1358	21.5	119.4833	25	26.83	33.86
27	2013/5/12	1255-1358	21.5	119.4833	50	24.01	34.03
28	2013/5/12	0933-1050	21.5	119	5	27.43	33.85
28	2013/5/12	0933-1050	21.5	119	25	26.77	33.85
28	2013/5/12	0933-1050	21.5	119	50	25.29	33.95
29	2013/5/12	0623-0730	22	119	5	27.35	33.85
29	2013/5/12	0623-0730	22	119	25	27.23	33.96
29	2013/5/12	0623-0730	22	119	50	26.95	34.31
30	2013/5/12	0246-0425	22	119.5	5	27.28	33.69
30	2013/5/12	0246-0425	22	119.5	25	27.02	33.78
30	2013/5/12	0246-0425	22	119.5	50	26.75	33.99
31	2013/5/13	0248-0410	21.9833	120	5	27.2	33.72

31	2013/5/13	0248-0410	21.9833	120	25	26.56	33.89
31	2013/5/13	0248-0410	21.9833	120	50	26.67	33.97
32	2013/5/13	2310-0025	22	120.5333	5	26.98	33.86
32	2013/5/13	2310-0025	22	120.5333	25	26.2	34.02
32	2013/5/13	2310-0025	22	120.5333	50	24.17	34.39
33	2013/5/13	1520-1620	22.3666	120.3166	5	26.71	33.89
33	2013/5/13	1520-1620	22.3666	120.3166	25	25.83	33.95
33	2013/5/13	1520-1620	22.3666	120.3166	50	22.21	34.31
34	2013/5/13	0640-0720	22.4833	120.0166	5	27.14	33.89
34	2013/5/13	0640-0720	22.4833	120.0166	25	27.04	34.05
34	2013/5/13	0640-0720	22.4833	120.0166	50	26.61	34.16
35	2013/5/11	2250-0000	22.5	119.5	5	27.5	33.95
35	2013/5/11	2250-0000	22.5	119.5	25	26.93	33.95
35	2013/5/11	2250-0000	22.5	119.5	50	26.78	34.02
36	2013/5/11	1942-2035	22.5	119.0166	5	27.01	33.99
36	2013/5/11	1942-2035	22.5	119.0166	25	26.1	33.99
36	2013/5/11	1942-2035	22.5	119.0166	50	24.97	34.05
37	2013/5/11	1710-1725	23	119	5	24.98	34.22
37	2013/5/11	1710-1725	23	119	25 -	-	-
37	2013/5/11	1710-1725	23	119	50 -	-	-
38	2013/5/11	0152-0234	23	119.5	5	25.17	34.14
38	2013/5/11	0152-0234	23	119.5	25	23.76	34.25
38	2013/5/11	0152-0234	23	119.5	50	21.97	34.39
39	2013/5/11	1207-1247	23	119.9166	5	26.55	33.92
39	2013/5/11	1207-1247	23	119.9166	25	26.02	33.93
39	2013/5/11	1207-1247	23	119.9166	50	25.07	34.01
40	2013/5/11	0850-0928	23.5	119.9166	5	26.69	33.92
40	2013/5/11	0850-0928	23.5	119.9166	25	26.15	33.93
40	2013/5/11	0850-0928	23.5	119.9166	50	25.91	33.95
41	2013/5/11	0643-0710	23.4333	119.5	5	24.37	34.17
41	2013/5/11	0643-0710	23.4333	119.5	25	24.3	34.17
41	2013/5/11	0643-0710	23.4333	119.5	50 -	-	-
42	2013/5/11	0418-0444	23.5	119	5	24.6	34.18
42	2013/5/11	0418-0444	23.5	119	25	24.58	34.19
42	2013/5/11	0418-0444	23.5	119	50 -	-	-
43	2013/5/11	0146-0215	24	119	5	23.99	34.24
43	2013/5/11	0146-0215	24	119	25	23.92	34.26
43	2013/5/11	0146-0215	24	119	50	23.75	34.29
44	2013/5/10	2311-2340	24	119.5	5	24.98	34.21
44	2013/5/10	2311-2340	24	119.5	25	24.11	34.24
44	2013/5/10	2311-2340	24	119.5	50	23.27	34.3
45	2013/5/10	2037-2102	24.0166	120	5	26.4	33.98
45	2013/5/10	2037-2102	24.0166	120	25	26.16	34
45	2013/5/10	2037-2102	24.0166	120	50 -	-	-
46	2013/5/10	0521-0543	24.5	120-30E	5	26.21	34.03
46	2013/5/10	0521-0543	24.5	120-30E	25	25.94	34.03

46	2013/5/10	0521-0543	24.5	120-30E	50	-	-
47	2013/5/10	1403-1450	24.5	119.9833	5	24.98	34.22
47	2013/5/10	1403-1450	24.5	119.9833	25	24.36	34.21
47	2013/5/10	1403-1450	24.5	119.9833	50	24.1	34.26
48	2013/5/10	1125-1207	24.5	119.5	5	24.45	34.21
48	2013/5/10	1125-1207	24.5	119.5	25	24.11	34.25
48	2013/5/10	1125-1207	24.5	119.5	50	23.4	34.28
49	2013/5/10	0730-0801	25	120.0166	5	23.68	34.25
49	2013/5/10	0730-0801	25	120.0166	25	23.12	34.29
49	2013/5/10	0730-0801	25	120.0166	50	-	-
50	2013/5/10	0445-0520	25	120.5	5	23.53	34.24
50	2013/5/10	0445-0520	25	120.5	25	23.37	34.25
50	2013/5/10	0445-0520	25	120.5	50	23.17	34.32
51	2013/5/10	0219-0300	25.1	120.9166	5	25.28	34.15
51	2013/5/10	0219-0300	25.1	120.9166	25	24.86	34.18
51	2013/5/10	0219-0300	25.1	120.9166	50	24.42	34.24
52	2013/5/9	2313-2350	25.5	120.5166	5	23.07	34.29
52	2013/5/9	2313-2350	25.5	120.5166	25	22.68	34.3
52	2013/5/9	2313-2350	25.5	120.5166	50	22.63	34.3
53	2013/5/9	1935-2016	26	121	5	24.39	34.28
53	2013/5/9	1935-2016	26	121	25	24.19	34.27
53	2013/5/9	1935-2016	26	121	50	23.87	34.27
54	2013/5/9	1702-1745	25.5	121	5	23.99	34.28
54	2013/5/9	1702-1745	25.5	121	25	23.46	34.29
54	2013/5/9	1702-1745	25.5	121	50	23.41	34.32
55	2013/5/9	1355-1437	25.5	121.5	5	25.12	34.13
55	2013/5/9	1355-1437	25.5	121.5	25	24.93	34.14
55	2013/5/9	1355-1437	25.5	121.5	50	22.83	34.26
56	2013/5/9	1111-1140	26	121.5166	5	23.99	34.24
56	2013/5/9	1111-1140	26	121.5166	25	23.74	34.25
56	2013/5/9	1111-1140	26	121.5166	50	23.35	34.28
57	2013/5/9	0823-0916	26	122	5	22.28	34.5
57	2013/5/9	0823-0916	26	122	25	21.83	34.53
57	2013/5/9	0823-0916	26	122	50	18.47	34.59
58	2013/5/9	0529-0620	26	122.5166	5	24.77	34.18
58	2013/5/9	0529-0620	26	122.5166	25	23.54	34.54
58	2013/5/9	0529-0620	26	122.5166	50	21.49	34.78
59	2013/5/9	0236-0315	26	123	5	25.91	34.44
59	2013/5/9	0236-0315	26	123	25	25.71	34.55
59	2013/5/9	0236-0315	26	123	50	23	34.7
60	2013/5/8	2325-0049	25.5166	123	5	26.44	34.51
60	2013/5/8	2325-0049	25.5166	123	25	26.45	34.51
60	2013/5/8	2325-0049	25.5166	123	50	26.21	34.52
61	2013/5/8	2000-2057	25.5	122.4833	5	25.73	34.2
61	2013/5/8	2000-2057	25.5	122.4833	25	24.75	34.65
61	2013/5/8	2000-2057	25.5	122.4833	50	21.89	34.44

62	2013/5/8	1629-1730	25.5	122.0166	5	22.47	34.38
62	2013/5/8	1629-1730	25.5	122.0166	25	19.65	34.51
62	2013/5/8	1629-1730	25.5	122.0166	50	17.82	34.56