

Station	Date	Time	Latitude (°N)	Longitude	Depth (m)	Temperature	Salinity (psu)
1	2004/8/4	1314	24.8666	122	5	27.51	34.19
1	2004/8/4	1314	24.8666	122	25	23.81	34.7
1	2004/8/4	1314	24.8666	122	50	21.7	34.61
2	2004/8/4	1640	25	122.5	5	29.42	34.12
2	2004/8/4	1640	25	122.5	25	28.6	34.15
2	2004/8/4	1640	25	122.5	50	27.71	34.38
3	2004/8/4	2000	25	123	5	29.33	34.24
3	2004/8/4	2000	25	123	25	28.13	34.35
3	2004/8/4	2000	25	123	50	26.82	34.49
4	2004/8/5	150	24.5	122.5	5	30.17	34.04
4	2004/8/5	150	24.5	122.5	25	28.63	34.18
4	2004/8/5	150	24.5	122.5	50	27.54	34.33
5	2004/8/5	535	24.5	122	5	27.9	34.11
5	2004/8/5	535	24.5	122	25	26.26	34.45
5	2004/8/5	535	24.5	122	50	23.14	34.65
6	2004/8/5	950	24	121.6666	5	28.72	34.09
6	2004/8/5	950	24	121.6666	25	26.23	34.24
6	2004/8/5	950	24	121.6666	50	22.28	34.62
7	2004/8/5	1325	23.75	122	5	30.24	34.07
7	2004/8/5	1325	23.75	122	25	29.21	34.19
7	2004/8/5	1325	23.75	122	50	28.27	34.35
8	2004/8/5	1642	23.75	122.5	5	30.67	34.08
8	2004/8/5	1642	23.75	122.5	25	29.3	34.21
8	2004/8/5	1642	23.75	122.5	50	28.41	34.34
9	2004/8/5	1945	23.75	123	5	30.7	34.01
9	2004/8/5	1945	23.75	123	25	29.36	34.01
9	2004/8/5	1945	23.75	123	50	28.95	34.34
10	2004/8/6	105	23	123	5	30.16	33.96
10	2004/8/6	105	23	123	25	29.87	34.42
10	2004/8/6	105	23	123	50	29.05	34.41
11	2004/8/6	430	23	122.5	5	30.09	24.86
11	2004/8/6	430	23	122.5	25	29.31	34.04
11	2004/8/6	430	23	122.5	50	29	34.24
12	2004/8/6	740	23	122	5	29.75	34.09
12	2004/8/6	740	23	122	25	29.48	34.08
12	2004/8/6	740	23	122	50	28.25	34.29
13	2004/8/6	1100	23	121.5	5	29.91	33.99
13	2004/8/6	1100	23	121.5	25	29.15	34.01
13	2004/8/6	1100	23	121.5	50	27.36	34.28
14	2004/8/6	1516	23.6666	121.25	5	29.78	34.02
14	2004/8/6	1516	23.6666	121.25	25	28.08	34.08
14	2004/8/6	1516	23.6666	121.25	50	25.52	34.63
15	2004/8/6	1835	22.25	121	5	29.63	34.18
15	2004/8/6	1835	22.25	121	25	29.06	34.14
15	2004/8/6	1835	22.25	121	50	26.79	34.48

16	2004/8/6	2018	22.25	121.5	5	29.73	34.15
16	2004/8/6	2018	22.25	121.5	25	28.51	34.23
16	2004/8/6	2018	22.25	121.5	50	24.56	34.69
17	2004/8/7	220	22.25	120	5	29.04	34.11
17	2004/8/7	220	22.25	120	25	27	34.43
17	2004/8/7	220	22.25	120	50	22.91	34.79
18	2004/8/7	600	22.25	122.5	5	29.1	34.15
18	2004/8/7	600	22.25	122.5	25	27.93	34.28
18	2004/8/7	600	22.25	122.5	50	25.95	34.56
19	2004/8/7	945	22.25	123	5	29.32	34.14
19	2004/8/7	945	22.25	123	25	27.25	34.39
19	2004/8/7	945	22.25	123	50	26.12	34.53
20	2004/8/7	1518	21.5	123	5	29.7	34.15
20	2004/8/7	1518	21.5	123	25	29.49	34.14
20	2004/8/7	1518	21.5	123	50	28.55	34.3
21	2004/8/7	1849	21.5	122.5	5	29.44	34.15
21	2004/8/7	1849	21.5	122.5	25	29.37	34.14
21	2004/8/7	1849	21.5	122.5	50	28.11	34.22
22	2004/8/7	2245	21.5	122	5	28.95	34.07
22	2004/8/7	2245	21.5	122	25	27.45	34.18
22	2004/8/7	2245	21.5	122	50	25.78	34.31
23	2004/8/8	215	21.5	121.5	5	29.36	34.21
23	2004/8/8	215	21.5	121.5	25	28.82	34.24
23	2004/8/8	215	21.5	121.5	50	26.93	34.45
24	2004/8/8	550	21.5	121	5	28.88	34.1
24	2004/8/8	550	21.5	121	25	28.28	34.07
24	2004/8/8	550	21.5	121	50	27.37	34.26
25	2004/8/8	930	21.5	120.5	5	29.34	34
25	2004/8/8	930	21.5	120.5	25	29.26	34
25	2004/8/8	930	21.5	120.5	50	27.13	34.44
26	2004/8/8	1305	21.5	120	5	29.33	34.13
26	2004/8/8	1305	21.5	120	25	28.78	34.19
26	2004/8/8	1305	21.5	120	50	27.12	34.46
27	2004/8/8	1625	21.5	119.5	5	29.74	33.73
27	2004/8/8	1625	21.5	119.5	25	28.8	34.15
27	2004/8/8	1625	21.5	119.5	50	26.2	34.45
28	2004/8/8	1956	21.5	119	5	29.41	34.04
28	2004/8/8	1956	21.5	119	25	28.25	34.07
28	2004/8/8	1956	21.5	119	50	25.92	34.28
29	2004/8/8	2330	22	119	5	29.92	33.94
29	2004/8/8	2330	22	119	25	29.28	33.96
29	2004/8/8	2330	22	119	50	25.6	34.34
30	2004/8/9	300	22	119.5	5	28.98	34.22
30	2004/8/9	300	22	119.5	25	28.53	34.33
30	2004/8/9	300	22	119.5	50	27.28	34.41
31	2004/8/9	630	22	120	5	29.26	34.16

31	2004/8/9	630	22	120	25	28.88	34.23
31	2004/8/9	630	22	120	50	27.61	34.35
32	2004/8/9	950	22	120.5	5	29.11	33.92
32	2004/8/9	950	22	120.5	25	28.41	34.01
32	2004/8/9	950	22	120.5	50	27.21	34.17
33	2004/8/9	1402	22.3666	120.3333	5	29.5	34.08
33	2004/8/9	1402	22.3666	120.3333	25	29.19	34.13
33	2004/8/9	1402	22.3666	120.3333	50	28.72	34.21
34	2004/8/10	815	22.5	120	5	29.46	33.8
34	2004/8/10	815	22.5	120	25	29.01	33.93
34	2004/8/10	815	22.5	120	50	27.66	34.4
35	2004/8/10	1130	22.5	119.5	5	29.5	34
35	2004/8/10	1130	22.5	119.5	25	28.34	34.3
35	2004/8/10	1130	22.5	119.5	50	26.27	34.45
36	2004/8/10	1435	22.5	119	5	29.46	33.9
36	2004/8/10	1435	22.5	119	25	28.55	34.04
36	2004/8/10	1435	22.5	119	50	26.55	34.33
37	2004/8/10	1745	22.9166	119.01	5	27.62	34.03
37	2004/8/10	1745	22.9166	119.01	25	26.05	34.23
37	2004/8/10	1745	22.9166	119.01	50	-	-
38	2004/8/10	2008	23	119.5	5	29.39	34.05
38	2004/8/10	2008	23	119.5	25	29.17	34.05
38	2004/8/10	2008	23	119.5	50	25.93	34.5
39	2004/8/10	2243	23	119.9	5	29.4	34.01
39	2004/8/10	2243	23	119.9	25	28.94	34.17
39	2004/8/10	2243	23	119.9	50	27.28	34.45
40	2004/8/11	213	23.5	119.9	5	28.6	34.21
40	2004/8/11	213	23.5	119.9	25	28.51	34.23
40	2004/8/11	213	23.5	119.9	50	25.79	34.58
41	2004/8/11	455	23.5	119.4666	5	27.92	34.17
41	2004/8/11	455	23.5	119.4666	25	25.98	34.29
41	2004/8/11	455	23.5	119.4666	50	25.19	34.33
42	2004/8/11	743	23.5	119	5	28.65	33.93
42	2004/8/11	743	23.5	119	25	28.64	33.92
42	2004/8/11	743	23.5	119	50	-	-
43	2004/8/11	1140	24	119	5	26.87	34.12
43	2004/8/11	1140	24	119	25	26.48	34.13
43	2004/8/11	1140	24	119	50	25.57	34.17
44	2004/8/11	1500	24	119.5	5	27.55	34.19
44	2004/8/11	1500	24	119.5	25	25.78	34.13
44	2004/8/11	1500	24	119.5	50	22.34	34.55
45	2004/8/11	1820	24	120	5	28.47	34.23
45	2004/8/11	1820	24	120	25	28.45	34.24
45	2004/8/11	1820	24	120	50	-	-
46	2004/8/21	1530	24.5	120.5	5	28.71	34.28
46	2004/8/21	1530	24.5	120.5	25	28.12	34.27

46	2004/8/21	1530	24.5	120.5	50	28.1	34.28
47	2004/8/21	1828	24.5	120	5	28.82	34.33
47	2004/8/21	1828	24.5	120	25	27.85	34.34
47	2004/8/21	1828	24.5	120	50	27.02	34.38
48	2004/8/21	2128	24.5	119.5	5	29.78	33.92
48	2004/8/21	2128	24.5	119.5	25	27.22	34.29
48	2004/8/21	2128	24.5	119.5	50	25.63	34.47
49	2004/8/22	115	25	120	5	28.88	33.84
49	2004/8/22	115	25	120	25	26.24	34.17
49	2004/8/22	115	25	120	50	25.62	34.41
50	2004/8/22	400	25	120.5	5	29.29	34.12
50	2004/8/22	400	25	120.5	25	27.73	34.13
50	2004/8/22	400	25	120.5	50	25.64	34.34
51	2004/8/22	630	25.0833	120.9	5	28.79	34.31
51	2004/8/22	630	25.0833	120.9	25	28.64	34.31
51	2004/8/22	630	25.0833	120.9	50	28.35	34.31
52	2004/8/22	1000	25.5	120.5	5	28.74	33.79
52	2004/8/22	1000	25.5	120.5	25	25.71	34.15
52	2004/8/22	1000	25.5	120.5	50	24.65	34.37
53	2004/8/22	1357	26	121	5	28.88	34.02
53	2004/8/22	1357	26	121	25	26.73	34.11
53	2004/8/22	1357	26	121	50	25.2	34.25
54	2004/8/22	1600	25.5	121	5	29.11	34.29
54	2004/8/22	1600	25.5	121	25	28.46	34.29
54	2004/8/22	1600	25.5	121	50	27.43	34.3
55	2004/8/22	1928	25.5	121.5	5	28.92	34.14
55	2004/8/22	1928	25.5	121.5	25	28.8	34.21
55	2004/8/22	1928	25.5	121.5	50	27.71	34.14
56	2004/8/22	2230	26	121.5	5	29.47	34.06
56	2004/8/22	2230	26	121.5	25	28.7	34.11
56	2004/8/22	2230	26	121.5	50	25.9	34.17
57	2004/8/23	130	26	122	5	27.98	34.38
57	2004/8/23	130	26	122	25	26.29	34.48
57	2004/8/23	130	26	122	50	22.19	34.71
58	2004/8/23	430	26	122.5	5	28.71	34.26
58	2004/8/23	430	26	122.5	25	28.09	34.3
58	2004/8/23	430	26	122.5	50	26.41	34.47
59	2004/9/8	8	26	123	5	28.63	34.22
59	2004/9/8	8	26	123	25	28.61	34.22
59	2004/9/8	8	26	123	50	26.31	34.37
60	2004/9/8	400	25.5	123	5	28.45	34.17
60	2004/9/8	400	25.5	123	25	28.36	34.19
60	2004/9/8	400	25.5	123	50	28.26	34.21
61	2004/8/23	725	25.5	122.5	5	29.04	34.28
61	2004/8/23	725	25.5	122.5	25	28.97	34.27
61	2004/8/23	725	25.5	122.5	50	27.78	34.35

62	2004/8/23	1050	25.5	122	5	28.18	34.32
62	2004/8/23	1050	25.5	122	25	26.93	34.37
62	2004/8/23	1050	25.5	122	50	22.17	34.7