

Station	Date	Time	Latitude (°N)	Longitude	Depth (m)	Temperature	Salinity (psu)
1	2005/10/6	1813~1915	24.85	122.1	5	25.29	33.98
1	2005/10/6	1813~1915	24.85	122.1	25	24.2	34.06
1	2005/10/6	1813~1915	24.85	122.1	50	23.05	34.12
2	2005/10/6	2125~2230	25	122.5	5	28.98	34.29
2	2005/10/6	2125~2230	25	122.5	25	28.26	34.11
2	2005/10/6	2125~2230	25	122.5	50	28.24	34.32
3	2005/10/7	0045~0200	25	123	5	28.7	34.14
3	2005/10/7	0045~0200	25	123	25	28.43	34.15
3	2005/10/7	0045~0200	25	123	50	27.35	34.27
4	2005/10/7	0510~0615	24.5	122.5	5	28.35	33.78
4	2005/10/7	0510~0615	24.5	122.5	25	28.25	33.79
4	2005/10/7	0510~0615	24.5	122.5	50	27.6	34.09
5	2005/10/7	0900~1015	24.5	122	5	28.39	33.66
5	2005/10/7	0900~1015	24.5	122	25	27.75	33.81
5	2005/10/7	0900~1015	24.5	122	50	24.3	34.41
6	2005/10/7	1330~1455	24	121.6666	5	27.76	33.19
6	2005/10/7	1330~1455	24	121.6666	25	26.39	34.04
6	2005/10/7	1330~1455	24	121.6666	50	22.01	34.42
7	2005/10/7	1620~1730	23.75	122	5	28.81	34.27
7	2005/10/7	1620~1730	23.75	122	25	28.3	34.26
7	2005/10/7	1620~1730	23.75	122	50	27.74	34.35
8	2005/10/7	1925~2030	23.75	122.5	5	29.03	34.17
8	2005/10/7	1925~2030	23.75	122.5	25	28.99	34.22
8	2005/10/7	1925~2030	23.75	122.5	50	28.98	34.22
9	2005/10/7	2224~2345	23.75	123	5	28.74	34.2
9	2005/10/7	2224~2345	23.75	123	25	28.75	34.25
9	2005/10/7	2224~2345	23.75	123	50	28.63	34.28
10	2005/10/8	0317~0415	23	123	5	28.5	34.16
10	2005/10/8	0317~0415	23	123	25	28.54	34.36
10	2005/10/8	0317~0415	23	123	50	28.47	34.45
11	2005/10/8	0635~0750	23	122.5	5	28.85	34.14
11	2005/10/8	0635~0750	23	122.5	25	28.97	34.23
11	2005/10/8	0635~0750	23	122.5	50	28.89	34.28
12	2005/10/8	0945~1100	23	122	5	28.83	34.02
12	2005/10/8	0945~1100	23	122	25	29.06	34.25
12	2005/10/8	0945~1100	23	122	50	29.04	34.26
13	2005/10/8	1254~1405	23	121.5	5	28.31	34.2
13	2005/10/8	1254~1405	23	121.5	25	28.32	34.21
13	2005/10/8	1254~1405	23	121.5	50	28.3	34.22
14	2005/10/8	1635~1745	22.6666	121.25	5	28.32	33.94
14	2005/10/8	1635~1745	22.6666	121.25	25	28.35	34
14	2005/10/8	1635~1745	22.6666	121.25	50	27.28	34.42
15	2005/10/8	2030~2145	22.25	121	5	28.3	33.63
15	2005/10/8	2030~2145	22.25	121	25	28.25	33.66
15	2005/10/8	2030~2145	22.25	121	50	27.49	33.83

16	2005/10/9	0130~0245	22.25	121.5	5	28.6	34.25
16	2005/10/9	0130~0245	22.25	121.5	25	28.61	34.27
16	2005/10/9	0130~0245	22.25	121.5	50	27.64	34.38
17	2005/10/9	0554~0650	22.25	122	5	28.77	34.32
17	2005/10/9	0554~0650	22.25	122	25	28.78	34.32
17	2005/10/9	0554~0650	22.25	122	50	28.78	34.32
18	2005/10/9	1027~1125	22.25	122.5	5	28.92	34.2
18	2005/10/9	1027~1125	22.25	122.5	25	28.91	34.2
18	2005/10/9	1027~1125	22.25	122.5	50	28.88	34.21
19	2005/10/9	1605~1705	22.25	123	5	28.84	34.31
19	2005/10/9	1605~1705	22.25	123	25	28.84	34.31
19	2005/10/9	1605~1705	22.25	123	50	28.83	34.31
20	2005/10/9	2050~2200	21.5	123	5	28.63	34.38
20	2005/10/9	2050~2200	21.5	123	25	28.63	34.38
20	2005/10/9	2050~2200	21.5	123	50	28.53	34.38
21	2005/10/9	2350~0055	21.5	122.5	5	28.67	34.35
21	2005/10/9	2350~0055	21.5	122.5	25	28.69	34.34
21	2005/10/9	2350~0055	21.5	122.5	50	28.65	34.34
22	#####	0250~0355	21.5	122	5	28.62	34.4
22	#####	0250~0355	21.5	122	25	28.62	34.4
22	#####	0250~0355	21.5	122	50	28.6	34.39
23	#####	0610~0715	21.5	121.5	5	27.97	34.33
23	#####	0610~0715	21.5	121.5	25	27.97	34.33
23	#####	0610~0715	21.5	121.5	50	27.94	34.35
24	#####	0935~1050	21.5	121	5	28.48	34.14
24	#####	0935~1050	21.5	121	25	28.48	34.15
24	#####	0935~1050	21.5	121	50	27.28	34.4
25	#####	1248~1355	21.5	120.5	5	28.73	34.17
25	#####	1248~1355	21.5	120.5	25	28.72	34.17
25	#####	1248~1355	21.5	120.5	50	28.64	34.15
26	#####	1600~1710	21.5	120	5	28.47	34.12
26	#####	1600~1710	21.5	120	25	28.45	34.13
26	#####	1600~1710	21.5	120	50	28.37	34.14
27	#####	1915~2005	21.5	119.5	5	28.16	33.88
27	#####	1915~2005	21.5	119.5	25	28.02	33.9
27	#####	1915~2005	21.5	119.5	50	28.01	33.92
28	#####	2223~2315	21.5	119	5	28.13	33.78
28	#####	2223~2315	21.5	119	25	28.04	33.88
28	#####	2223~2315	21.5	119	50	28.05	33.9
29	#####	0204~0255	22	119	5	28.23	33.75
29	#####	0204~0255	22	119	25	28.23	33.75
29	#####	0204~0255	22	119	50	28.03	33.81
30	#####	0525~0605	22	119.5	5	28.54	33.64
30	#####	0525~0605	22	119.5	25	28.48	33.88
30	#####	0525~0605	22	119.5	50	27.77	34.11
31	#####	0845~0935	22	120	5	28.49	33.63

31	#####	0845~0935	22	120	25	28.6	33.8
31	#####	0845~0935	22	120	50	28.19	33.95
32	#####	1150~1245	22	120.5	5	28.43	33.82
32	#####	1150~1245	22	120.5	25	28.29	33.84
32	#####	1150~1245	22	120.5	50	28.1	33.88
33	#####	1435~1505	22.3666	120.3333	5	29.23	33.39
33	#####	1435~1505	22.3666	120.3333	25	28.32	33.9
33	#####	1435~1505	22.3666	120.3333	50	27.57	34.02
34	#####	1145~1215	22.5	120	5	28.71	33.93
34	#####	1145~1215	22.5	120	25	28.67	33.93
34	#####	1145~1215	22.5	120	50	28.56	33.99
35	#####	1450~1525	22.5	119.5	5	28.56	33.91
35	#####	1450~1525	22.5	119.5	25	28.52	33.9
35	#####	1450~1525	22.5	119.5	50	27.78	34.12
36	#####	1735~1805	22.5	119	5	27.67	34.03
36	#####	1735~1805	22.5	119	25	27.64	34.03
36	#####	1735~1805	22.5	119	50	26.4	34.12
37	#####	2030~2055	22.9166	119.1	5	26.57	34.11
37	#####	2030~2055	22.9166	119.1	25 -	-	-
37	#####	2030~2055	22.9166	119.1	50 -	-	-
38	#####	2050~2315	23	119.5	5	28.3	33.97
38	#####	2050~2315	23	119.5	25	28.24	33.96
38	#####	2050~2315	23	119.5	50	26.06	34.19
39	#####	0120~0155	23	119.9	5	28.59	33.94
39	#####	0120~0155	23	119.9	25	28.59	33.94
39	#####	0120~0155	23	119.9	50	28.39	34.02
40	#####	0400~0435	23.5	119.9	5	27.85	34.01
40	#####	0400~0435	23.5	119.9	25	27.74	34.03
40	#####	0400~0435	23.5	119.9	50	26.97	34.12
41	#####	0615~0645	23.5	119.4666	5	26.85	34.08
41	#####	0615~0645	23.5	119.4666	25	26.84	34.08
41	#####	0615~0645	23.5	119.4666	50 -	-	-
42	#####	0850~0915	23.5	119	5	26.63	33.77
42	#####	0850~0915	23.5	119	25	26.64	33.78
42	#####	0850~0915	23.5	119	50 -	-	-
43	#####	1205~1235	24	119	5	26.06	34.16
43	#####	1205~1235	24	119	25	26.05	34.16
43	#####	1205~1235	24	119	50	26.03	34.16
44	#####	1453~1520	24	119.5	5	26.61	34.04
44	#####	1453~1520	24	119.5	25	26.42	34.06
44	#####	1453~1520	24	119.5	50	25.72	34.17
45	#####	1740~1805	24	120	5	26.27	34.14
45	#####	1740~1805	24	120	25	26.21	34.14
45	#####	1740~1805	24	120	50 -	-	-
46	#####	0230~0255	24.5	120.5	5	25.4	33.76
46	#####	0230~0255	24.5	120.5	25	25.39	33.76

46	#####	0230~0255	24.5	120.5	50	-	-
47	#####	2330~2355	24.5	120	5	25.3	33.8
47	#####	2330~2355	24.5	120	25	25.3	33.8
47	#####	2330~2355	24.5	120	50	25.29	33.79
48	#####	2034~2055	24.5	119.5	5	25.35	33.89
48	#####	2034~2055	24.5	119.5	25	25.36	33.89
48	#####	2034~2055	24.5	119.5	50	25.4	33.93
49	#####	1653~1730	25	120	5	24.97	32.13
49	#####	1653~1730	25	120	25	25.02	32.28
49	#####	1653~1730	25	120	50	-	-
50	#####	0527~0550	25	120.5	5	25.62	33.74
50	#####	0527~0550	25	120.5	25	25.63	33.74
50	#####	0527~0550	25	120.5	50	25.64	33.74
51	-	-	25.0833	120.9	5	-	-
51	-	-	25.0833	120.9	25	-	-
51	-	-	25.0833	120.9	50	-	-
52	#####	1300~1345	25.5	120.5	5	25.37	33.92
52	#####	1300~1345	25.5	120.5	25	25.38	33.92
52	#####	1300~1345	25.5	120.5	50	25.38	33.92
53	#####	0920~1005	26	121	5	25.8	34.01
53	#####	0920~1005	26	121	25	25.81	34.01
53	#####	0920~1005	26	121	50	25.79	34
54	#####	0933~1005	25.5	121	5	26.24	34.09
54	#####	0933~1005	25.5	121	25	26.25	34.09
54	#####	0933~1005	25.5	121	50	26.25	34.09
55	#####	1245~1315	25.5	121.5	5	25.36	34.13
55	#####	1245~1315	25.5	121.5	25	25.23	34.12
55	#####	1245~1315	25.5	121.5	50	24.65	34.12
56	#####	0702~0735	26	121.5	5	25.44	34.1
56	#####	0702~0735	26	121.5	25	25.44	34.1
56	#####	0702~0735	26	121.5	50	25.45	34.12
57	#####	0425~0455	26	122	5	24.13	34.19
57	#####	0425~0455	26	122	25	21.68	34.39
57	#####	0425~0455	26	122	50	19.52	34.66
58	#####	0128~0200	26	122.5	5	27.14	34.32
58	#####	0128~0200	26	122.5	25	27.14	34.31
58	#####	0128~0200	26	122.5	50	24.8	34.22
59	#####	2229~2255	26	123	5	27.72	34.26
59	#####	2229~2255	26	123	25	27.72	34.39
59	#####	2229~2255	26	123	50	27.27	34.37
60	#####	1919~1950	25.5	123	5	27.94	34.35
60	#####	1919~1950	25.5	123	25	27.94	34.35
60	#####	1919~1950	25.5	123	50	27.94	34.35
61	#####	1600~1635	25.5	122.5	5	27.35	34.23
61	#####	1600~1635	25.5	122.5	25	27.43	34.27
61	#####	1600~1635	25.5	122.5	50	27.4	34.33

62	#####	1230~1315	25.5	122	5	22.04	34.32
62	#####	1230~1315	25.5	122	25	20.13	34.43
62	#####	1230~1315	25.5	122	50	18.51	34.5