

Station	Date	Time	Latitude (°N)	Longitude	Depth (m)	Temperature	Salinity (psu)
1	2008/3/13	1645-1730	24.85	122.1	5	21.3	34.13
1	2008/3/13	1645-1730	24.85	122.1	25	17.56	34.54
1	2008/3/13	1645-1730	24.85	122.1	50	16.57	34.56
2	2008/3/13	1949-2044	25	122.5	5	25.51	34.05
2	2008/3/13	1949-2044	25	122.5	25	25.45	34.19
2	2008/3/13	1949-2044	25	122.5	50	25.2	34.25
3	2008/3/13	2257-2355	25	123	5	23.3	34.64
3	2008/3/13	2257-2355	25	123	25	23.29	34.65
3	2008/3/13	2257-2355	25	123	50	23.27	34.67
4	2008/3/14	0334-0415	24.5	122.5	5	25.71	34.13
4	2008/3/14	0334-0415	24.5	122.5	25	25.47	34.18
4	2008/3/14	0334-0415	24.5	122.5	50	24.97	34.26
5	2008/3/14	0704-0747	24.5	122	5	24.68	34.06
5	2008/3/14	0704-0747	24.5	122	25	24.53	34.09
5	2008/3/14	0704-0747	24.5	122	50	20.78	34.59
6	2008/3/14	1100-1137	24	121.6666	5	24.56	33.9
6	2008/3/14	1100-1137	24	121.6666	25	24.57	33.93
6	2008/3/14	1100-1137	24	121.6666	50	22.02	34.43
7	2008/3/14	1428-1519	23.75	122	5	25.58	34.18
7	2008/3/14	1428-1519	23.75	122	25	25.59	34.18
7	2008/3/14	1428-1519	23.75	122	50	25.55	34.24
8	2008/3/14	1800-1853	23.75	122.5	5	25.31	34.18
8	2008/3/14	1800-1853	23.75	122.5	25	25.31	34.17
8	2008/3/14	1800-1853	23.75	122.5	50	24.5	34.36
9	2008/3/14	2138-2231	23.75	123	5	23.16	34.69
9	2008/3/14	2138-2231	23.75	123	25	23.17	34.69
9	2008/3/14	2138-2231	23.75	123	50	23.17	34.74
10	2008/3/15	0240-0339	23	123	5	24.27	34.42
10	2008/3/15	0240-0339	23	123	25	24.17	34.43
10	2008/3/15	0240-0339	23	123	50	23.66	34.6
11	2008/3/15	0550-0648	23	122.5	5	24.75	34.24
11	2008/3/15	0550-0648	23	122.5	25	24.76	34.25
11	2008/3/15	0550-0648	23	122.5	50	24.7	34.3
12	2008/3/15	0905-1003	23	122	5	25.96	34.11
12	2008/3/15	0905-1003	23	122	25	25.93	34.13
12	2008/3/15	0905-1003	23	122	50	24.26	34.5
13	2008/3/15	1224-1324	23	121.5	5	25.95	34.06
13	2008/3/15	1224-1324	23	121.5	25	25.89	34.07
13	2008/3/15	1224-1324	23	121.5	50	25.12	34.08
14	2008/3/15	1605-1623	22.6666	121.25	5	26.26	34.08
14	2008/3/15	1605-1623	22.6666	121.25	25	26.26	34.07
14	2008/3/15	1605-1623	22.6666	121.25	50	25.31	34.22
15	2008/3/15	1945-2045	22.25	121	5	25.6	33.98
15	2008/3/15	1945-2045	22.25	121	25	25.52	34.05
15	2008/3/15	1945-2045	22.25	121	50	24.96	34.17

16	2008/3/15	2300-2335	22.25	121.5	5	26.21	34.13
16	2008/3/15	2300-2335	22.25	121.5	25	26.22	34.13
16	2008/3/15	2300-2335	22.25	121.5	50	26.13	34.14
17	2008/3/16	0157-0256	22.25	122	5	25.85	34.13
17	2008/3/16	0157-0256	22.25	122	25	25.84	34.13
17	2008/3/16	0157-0256	22.25	122	50	25.72	34.16
18	2008/3/16	0515-0621	22.25	122.5	5	25.37	34.22
18	2008/3/16	0515-0621	22.25	122.5	25	25.31	34.24
18	2008/3/16	0515-0621	22.25	122.5	50	25.29	34.25
19	2008/3/16	0820-0905	22.25	123	5	25.65	34.3
19	2008/3/16	0820-0905	22.25	123	25	25.62	34.31
19	2008/3/16	0820-0905	22.25	123	50	25.48	34.34
20	2008/3/16	1305-1401	21.5	123	5	25.08	34.36
20	2008/3/16	1305-1401	21.5	123	25	24.4	34.49
20	2008/3/16	1305-1401	21.5	123	50	24.35	34.49
21	2008/3/16	1604-1654	21.5	122.5	5	26.01	34.22
21	2008/3/16	1604-1654	21.5	122.5	25	25.75	34.27
21	2008/3/16	1604-1654	21.5	122.5	50	25.41	34.31
22	2008/3/16	1909-2005	21.5	122	5	25.7	34.29
22	2008/3/16	1909-2005	21.5	122	25	25.24	34.38
22	2008/3/16	1909-2005	21.5	122	50	24.74	34.45
23	2008/3/16	2228-2320	21.5	121.5	5	26.34	34.13
23	2008/3/16	2228-2320	21.5	121.5	25	26.24	34.16
23	2008/3/16	2228-2320	21.5	121.5	50	26.01	34.14
24	2008/3/17	0218-0300	21.5	121	5	26.29	33.58
24	2008/3/17	0218-0300	21.5	121	25	26.27	33.58
24	2008/3/17	0218-0300	21.5	121	50	25.7	33.68
25	2008/3/17	0534-0626	21.5	120.5	5	25.56	33.66
25	2008/3/17	0534-0626	21.5	120.5	25	24.21	33.91
25	2008/3/17	0534-0626	21.5	120.5	50	22.43	34.35
26	2008/3/17	0854-0940	21.5	120	5	25.09	33.77
26	2008/3/17	0854-0940	21.5	120	25	24.34	34.08
26	2008/3/17	0854-0940	21.5	120	50	22.45	34.76
27	2008/3/17	1210-1255	21.5	119.5	5	25.41	33.75
27	2008/3/17	1210-1255	21.5	119.5	25	24.73	34
27	2008/3/17	1210-1255	21.5	119.5	50	22.52	34.22
28	2008/3/17	1523-1620	21.5	119	5	25.38	34.14
28	2008/3/17	1523-1620	21.5	119	25	24.62	34.01
28	2008/3/17	1523-1620	21.5	119	50	23.42	34.31
29	2008/3/17	1940-2029	22	119	5	24.7	34.11
29	2008/3/17	1940-2029	22	119	25	24.65	34.11
29	2008/3/17	1940-2029	22	119	50	24.25	34.09
30	2008/3/17	2341-0030	22	119.5	5	24.54	34.13
30	2008/3/17	2341-0030	22	119.5	25	24.4	34.1
30	2008/3/17	2341-0030	22	119.5	50	24.23	34.12
31	2008/3/18	0330-0425	22	120	5	25.08	34.14

31	2008/3/18	0330-0425	22	120	25	24.83	34.14
31	2008/3/18	0330-0425	22	120	50	24.46	34.19
32	2008/3/18	0719-0750	22	120.5	5	25.29	33.97
32	2008/3/18	0719-0750	22	120.5	25	24.02	34.26
32	2008/3/18	0719-0750	22	120.5	50	22.35	34.5
33	2008/3/18	1036-1104	22.3666	120.3333	5	24.74	34.17
33	2008/3/18	1036-1104	22.3666	120.3333	25	24.41	34.22
33	2008/3/18	1036-1104	22.3666	120.3333	50	23.52	34.29
34	2008/3/18	1304-1337	22.5	120	5	24.44	34.12
34	2008/3/18	1304-1337	22.5	120	25	24.32	34.12
34	2008/3/18	1304-1337	22.5	120	50	24.34	34.16
35	2008/3/18	1631-1651	22.5	119.5	5	24.71	33.84
35	2008/3/18	1631-1651	22.5	119.5	25	24.5	33.88
35	2008/3/18	1631-1651	22.5	119.5	50	24.07	34.03
36	2008/3/18	1950-2005	22.5	119	5	24.47	33.89
36	2008/3/18	1950-2005	22.5	119	25	24.35	34.1
36	2008/3/18	1950-2005	22.5	119	50	22.96	34.07
37	2008/3/18	2238-2243	22.9166	119.1	5	22.95	34.27
37	2008/3/18	2238-2243	22.9166	119.1	25	22.96	34.27
37	2008/3/18	2238-2243	22.9166	119.1	50	-	-
38	2008/3/19	0102-0114	23	119.5	5	23.56	34.1
38	2008/3/19	0102-0114	23	119.5	25	23.25	34.13
38	2008/3/19	0102-0114	23	119.5	50	21.33	34.48
39	2008/3/19	0346-0405	23	119.9	5	24.37	34.16
39	2008/3/19	0346-0405	23	119.9	25	24.36	34.15
39	2008/3/19	0346-0405	23	119.9	50	23.76	34.07
40	2008/3/19	0650-0710	23.5	119.9	5	24.21	34.15
40	2008/3/19	0650-0710	23.5	119.9	25	24.22	34.15
40	2008/3/19	0650-0710	23.5	119.9	50	23.49	34.21
41	2008/3/19	0936-0945	23.5	119.4666	5	22.77	34.27
41	2008/3/19	0936-0945	23.5	119.4666	25	22.37	34.3
41	2008/3/19	0936-0945	23.5	119.4666	50	22.2	34.32
42	2008/3/19	1211-1219	23.5	119	5	22.76	34.4
42	2008/3/19	1211-1219	23.5	119	25	22.64	34.4
42	2008/3/19	1211-1219	23.5	119	50	22.62	34.41
43	2008/3/20	1816-1824	24	119	5	21.54	34.4
43	2008/3/20	1816-1824	24	119	25	21.57	34.4
43	2008/3/20	1816-1824	24	119	50	17.84	34.36
44	2008/3/21	0215-0233	24	119.5	5	22.82	34.28
44	2008/3/21	0215-0233	24	119.5	25	22.83	34.28
44	2008/3/21	0215-0233	24	119.5	50	22.81	34.28
45	2008/3/21	0507-0517	24	120	5	23.23	34.25
45	2008/3/21	0507-0517	24	120	25	23.23	34.25
45	2008/3/21	0507-0517	24	120	50	-	-
46	2008/3/21	0838-0849	24.5	120.5	5	22.65	34.31
46	2008/3/21	0838-0849	24.5	120.5	25	22.65	34.31

46	2008/3/21	0838-0849	24.5	120.5	50	-	-
47	2008/3/21	1105-1121	24.5	120	5	22.05	34.37
47	2008/3/21	1105-1121	24.5	120	25	22.05	34.37
47	2008/3/21	1105-1121	24.5	120	50	22.05	34.37
48	2008/3/20	2340-2400	24.5	119.5	5	22.03	34.36
48	2008/3/20	2340-2400	24.5	119.5	25	22.03	34.35
48	2008/3/20	2340-2400	24.5	119.5	50	22.04	34.35
49	2008/3/21	1449-1504	25	120	5	20.43	34.34
49	2008/3/21	1449-1504	25	120	25	20.4	34.32
49	2008/3/21	1449-1504	25	120	50	-	-
50	2008/3/21	1726-1741	25	120.5	5	21.47	34.39
50	2008/3/21	1726-1741	25	120.5	25	21.48	34.39
50	2008/3/21	1726-1741	25	120.5	50	21.2	34.41
51	2008/3/21	1955-2036	25.0833	120.9	5	22.54	34.32
51	2008/3/21	1955-2036	25.0833	120.9	25	22.54	34.32
51	2008/3/21	1955-2036	25.0833	120.9	50	22.24	34.36
52	2008/3/21	2337-2350	25.5	120.5	5	20.03	34.29
52	2008/3/21	2337-2350	25.5	120.5	25	20.02	34.29
52	2008/3/21	2337-2350	25.5	120.5	50	19.12	34.12
53	2008/3/22	0309-0326	26	121	5	20.55	34.34
53	2008/3/22	0309-0326	26	121	25	20.55	34.34
53	2008/3/22	0309-0326	26	121	50	20.51	34.32
54	2008/3/22	0613-0631	25.5	121	5	21.23	34.37
54	2008/3/22	0613-0631	25.5	121	25	21.11	34.37
54	2008/3/22	0613-0631	25.5	121	50	20.88	34.34
55	2008/3/22	0916-0933	25.5	121.5	5	20.31	34.25
55	2008/3/22	0916-0933	25.5	121.5	25	19.58	34.2
55	2008/3/22	0916-0933	25.5	121.5	50	18.61	34.13
56	2008/3/22	1209-1220	26	121.5	5	20.46	34.31
56	2008/3/22	1209-1220	26	121.5	25	20.37	34.29
56	2008/3/22	1209-1220	26	121.5	50	18.38	34.13
57	2008/3/22	1427-1442	26	122	5	19.37	34.44
57	2008/3/22	1427-1442	26	122	25	19.11	34.44
57	2008/3/22	1427-1442	26	122	50	17.11	34.62
58	2008/3/22	1648-1705	26	122.5	5	23.13	34.11
58	2008/3/22	1648-1705	26	122.5	25	22.55	34.58
58	2008/3/22	1648-1705	26	122.5	50	20.02	34.74
59	-	-	26	123	5	-	-
59	-	-	26	123	25	-	-
59	-	-	26	123	50	-	-
60	2008/3/22	2109-2200	25.5	123	5	25.43	34.21
60	2008/3/22	2109-2200	25.5	123	25	25.45	34.21
60	2008/3/22	2109-2200	25.5	123	50	25.45	34.21
61	2008/3/23	0023-0053	25.5	122.5	5	25.35	34.12
61	2008/3/23	0023-0053	25.5	122.5	25	25.38	34.22
61	2008/3/23	0023-0053	25.5	122.5	50	25.42	34.25

62	2008/3/22	0356-0411	25.5	122	5	18.02	34.37
62	2008/3/22	0356-0411	25.5	122	25	17.91	34.39
62	2008/3/22	0356-0411	25.5	122	50	17.79	34.43