

Station	Date	Time	Latitude (°N)	Longitude	Depth (m)	Temperature	Salinity (psu)
1	2009/5/18	1028-1057	24.5	122	5	24.76	34.14
1	2009/5/18	1028-1057	24.5	122	25	24.3	34.15
1	2009/5/18	1028-1057	24.5	122	50	23.4	34.21
2	2009/5/18	0644-0741	25	122.5	5	27.65	34.33
2	2009/5/18	0644-0741	25	122.5	25	26.87	34.33
2	2009/5/18	0644-0741	25	122.5	50	25.99	34.19
3	2009/5/17	0244-0340	25	122	5	27.61	34.28
3	2009/5/17	0244-0340	25	122	25	27.55	34.33
3	2009/5/17	0244-0340	25	122	50	27.33	34.37
4	2009/5/17	2217-2257	24.5	122.5	5	27.73	34.3
4	2009/5/17	2217-2257	24.5	122.5	25	27.06	34.33
4	2009/5/17	2217-2257	24.5	122.5	50	26.37	34.4
5	2009/5/17	1845-1937	24.5	122	5	27.34	34.18
5	2009/5/17	1845-1937	24.5	122	25	26.89	34.42
5	2009/5/17	1845-1937	24.5	122	50	24.48	34.18
6	2009/5/17	1515-1544	24	121.6666	5	26.5	34.1
6	2009/5/17	1515-1544	24	121.6666	25	24.79	34.12
6	2009/5/17	1515-1544	24	121.6666	50	23.74	34.24
7	2009/5/17	1150-1241	24.75	122	5	27.71	34.32
7	2009/5/17	1150-1241	24.75	122	25	27.34	34.28
7	2009/5/17	1150-1241	24.75	122	50	26.67	34.26
8	2009/5/17	0705-0750	23.75	122.5	5	27.43	34.28
8	2009/5/17	0705-0750	23.75	122.5	25	27.07	34.2
8	2009/5/17	0705-0750	23.75	122.5	50	26.28	34.39
9	2009/5/17	0303-0345	23.75	123	5	27.3	34.24
9	2009/5/17	0303-0345	23.75	123	25	27.3	34.24
9	2009/5/17	0303-0345	23.75	123	50	26.71	34.26
10	2009/5/16	2138-2215	23	123	5	27.08	34.33
10	2009/5/16	2138-2215	23	123	25	26.54	34.31
10	2009/5/16	2138-2215	23	123	50	26.08	34.33
11	2009/5/16	1749-1837	23	122.5	5	27.27	34.42
11	2009/5/16	1749-1837	23	122.5	25	26.44	34.31
11	2009/5/16	1749-1837	23	122.5	50	25.82	34.5
12	2009/5/16	1340-1418	23	122	5	28.17	34.3
12	2009/5/16	1340-1418	23	122	25	27.36	34.36
12	2009/5/16	1340-1418	23	122	50	26.5	34.43
13	2009/5/16	1000-1041	23	121.5	5	25.96	34.11
13	2009/5/16	1000-1041	23	121.5	25	25.23	34.26
13	2009/5/16	1000-1041	23	121.5	50	24.48	34.49
14	2009/5/16	0641-0725	22.6666	121.25	5	25.54	34.09
14	2009/5/16	0641-0725	22.6666	121.25	25	24.46	34.11
14	2009/5/16	0641-0725	22.6666	121.25	50	21.55	34.37
15	2009/5/15	0552-0629	22.25	121	5	25.57	33.97
15	2009/5/15	0552-0629	22.25	121	25	24.1	34.08
15	2009/5/15	0552-0629	22.25	121	50	22.44	34.26

16	2009/5/15	0236-0318	22.25	121.5	5	27.04	34.26
16	2009/5/15	0236-0318	22.25	121.5	25	26.4	34.44
16	2009/5/15	0236-0318	22.25	121.5	50	24.06	34.65
17	2009/5/14	2250-2334	22.25	122	5	28.01	34.19
17	2009/5/14	2250-2334	22.25	122	25	27.21	34.3
17	2009/5/14	2250-2334	22.25	122	50	26.96	34.36
18	2009/5/14	1928-2003	22.25	122.5	5	27.41	34.36
18	2009/5/14	1928-2003	22.25	122.5	25	27.05	34.36
18	2009/5/14	1928-2003	22.25	122.5	50	26.24	34.51
19	2009/5/14	1622-1702	22.25	123	5	26.87	34.43
19	2009/5/14	1622-1702	22.25	123	25	25.11	34.44
19	2009/5/14	1622-1702	22.25	123	50	23.85	34.75
20	2009/5/14	0949-1033	21.5	123	5	25.48	34.37
20	2009/5/14	0949-1033	21.5	123	25	24.93	34.47
20	2009/5/14	0949-1033	21.5	123	50	23.71	34.63
21	2009/5/12	0445-0525	21.5	122.5	5	25.79	34.32
21	2009/5/12	0445-0525	21.5	122.5	25	25.45	34.34
21	2009/5/12	0445-0525	21.5	122.5	50	25.09	34.4
22	2009/5/12	2401-0038	21.5	122	5	27.44	34.23
22	2009/5/12	2401-0038	21.5	122	25	27.38	34.22
22	2009/5/12	2401-0038	21.5	122	50	27.32	34.3
23	2009/5/11	1950-2031	21.5	121.5	5	27.45	34.38
23	2009/5/11	1950-2031	21.5	121.5	25	27.09	34.38
23	2009/5/11	1950-2031	21.5	121.5	50	26.93	34.4
24	2009/5/11	1647-1740	21.5	121	5	27.91	34.28
24	2009/5/11	1647-1740	21.5	121	25	27.31	34.35
24	2009/5/11	1647-1740	21.5	121	50	26.72	34.37
25	2009/5/11	1213-1243	21.5	120.5	5	27.31	34.15
25	2009/5/11	1213-1243	21.5	120.5	25	27.16	34.15
25	2009/5/11	1213-1243	21.5	120.5	50	27.11	34.13
26	2009/5/11	0810-0859	21.5	122	5	27.64	34.33
26	2009/5/11	0810-0859	21.5	122	25	27.6	34.32
26	2009/5/11	0810-0859	21.5	122	50	27.47	34.31
27	2009/5/11	0426-0505	21.5	119.5	5	26.05	33.79
27	2009/5/11	0426-0505	21.5	119.5	25	26.06	33.79
27	2009/5/11	0426-0505	21.5	119.5	50	26.13	33.86
28	2009/5/11	0102-0138	21.5	119	5	26.63	34.22
28	2009/5/11	0102-0138	21.5	119	25	26.65	34.25
28	2009/5/11	0102-0138	21.5	119	50	25.58	34.61
29	2009/5/10	2115-2204	22	119	5	26.67	34.14
29	2009/5/10	2115-2204	22	119	25	26.67	34.14
29	2009/5/10	2115-2204	22	119	50	26.56	34.17
30	2009/5/10	1742-1836	22	119.5	5	26.56	33.84
30	2009/5/10	1742-1836	22	119.5	25	26.28	33.81
30	2009/5/10	1742-1836	22	119.5	50	26.2	33.95
31	2009/5/10	1420-1510	22	120	5	26.25	33.92

31	2009/5/10	1420-1510	22	120	25	26.09	33.92
31	2009/5/10	1420-1510	22	120	50	26.08	33.92
32	2009/5/10	1112-1150	22	120.5	5	26.78	33.68
32	2009/5/10	1112-1150	22	120.5	25	26.6	33.68
32	2009/5/10	1112-1150	22	120.5	50	26.76	33.92
33	2009/5/10	0855-0916	22.3666	120.3333	5	26.69	33.72
33	2009/5/10	0855-0916	22.3666	120.3333	25	26.62	33.71
33	2009/5/10	0855-0916	22.3666	120.3333	50	26.76	33.88
34	2009/5/10	0650-0720	22.5	120	5	26.59	33.69
34	2009/5/10	0650-0720	22.5	120	25	26.5	33.69
34	2009/5/10	0650-0720	22.5	120	50	26.79	33.98
35	2009/5/10	0403-0441	22.5	119.5	5	26.36	33.71
35	2009/5/10	0403-0441	22.5	119.5	25	26.29	33.71
35	2009/5/10	0403-0441	22.5	119.5	50	26.12	33.7
36	2009/5/10	0138-0203	22.5	119	5	25.98	33.78
36	2009/5/10	0138-0203	22.5	119	25	25.48	34.03
36	2009/5/10	0138-0203	22.5	119	50	25.01	34.1
37	2009/5/9	1750-1805	22.9166	119.1	5	23.8	34.17
37	2009/5/9	1750-1805	22.9166	119.1	25 -	-	
37	2009/5/9	1750-1805	22.9166	119.1	50 -	-	
38	2009/5/9	1539-1555	23	119.5	5	25.99	34.05
38	2009/5/9	1539-1555	23	119.5	25	25.34	34.06
38	2009/5/9	1539-1555	23	119.5	50	23.08	34.22
39	2009/5/9	1312-1330	23	119.9	5	26.06	33.73
39	2009/5/9	1312-1330	23	119.9	25	25.55	33.94
39	2009/5/9	1312-1330	23	119.9	50	24.45	34.33
40	2009/5/9	0953-1019	23.5	119.9	5	26.02	33.8
40	2009/5/9	0953-1019	23.5	119.9	25	25.91	33.86
40	2009/5/9	0953-1019	23.5	119.9	50	24.88	34.07
41	2009/5/9	0725-0743	23.5	119.4666	5	23.87	34.15
41	2009/5/9	0725-0743	23.5	119.4666	25	23.63	34.22
41	2009/5/9	0725-0743	23.5	119.4666	50 -	-	
42	2009/5/9	0430-0445	23.5	119	5	23.8	34.22
42	2009/5/9	0430-0445	23.5	119	25	23.8	34.22
42	2009/5/9	0430-0445	23.5	119	50 -	-	
43	2009/5/9	0135-0150	24	119	5	23.66	34.18
43	2009/5/9	0135-0150	24	119	25	23.26	34.19
43	2009/5/9	0135-0150	24	119	50	22.2	34.28
44	2009/5/8	2258-2325	24	119.5	5	23.77	34.17
44	2009/5/8	2258-2325	24	119.5	25	23.58	34.18
44	2009/5/8	2258-2325	24	119.5	50	22.71	34.27
45	2009/5/8	2011-2027	24	120	5	25.65	33.94
45	2009/5/8	2011-2027	24	120	25	25.46	33.99
45	2009/5/8	2011-2027	24	120	50 -	-	
46	2009/5/8	1535-1600	24.5	120.5	5	25.1	34.06
46	2009/5/8	1535-1600	24.5	120.5	25	25.02	34.06

46	2009/5/8	1535-1600	24.5	120.5	50	-	-
47	2009/5/8	1256-1316	24.5	120	5	24.1	34.2
47	2009/5/8	1256-1316	24.5	120	25	23.66	34.2
47	2009/5/8	1256-1316	24.5	120	50	-	-
48	2009/5/8	1006-1026	24.5	119.5	5	24.09	34.14
48	2009/5/8	1006-1026	24.5	119.5	25	24.05	34.14
48	2009/5/8	1006-1026	24.5	119.5	50	23.48	34.21
49	2009/5/8	0600-0619	25	120	5	23.74	34.16
49	2009/5/8	0600-0619	25	120	25	22.68	34.22
49	2009/5/8	0600-0619	25	120	50	-	-
50	2009/5/8	0305-0330	25	120.5	5	22.74	34.25
50	2009/5/8	0305-0330	25	120.5	25	22.74	34.25
50	2009/5/8	0305-0330	25	120.5	50	22.65	34.25
51	2009/5/8	0030-0051	25.1	120.9	5	24.63	34.05
51	2009/5/8	0030-0051	25.1	120.9	25	24.59	34.06
51	2009/5/8	0030-0051	25.1	120.9	50	23.56	34.28
52	2009/5/7	2032-2108	25.5	120.5	5	21.81	34.21
52	2009/5/7	2032-2108	25.5	120.5	25	21.79	34.21
52	2009/5/7	2032-2108	25.5	120.5	50	21.56	34.25
53	2009/5/7	1646-1706	26	121	5	23.22	34.28
53	2009/5/7	1646-1706	26	121	25	22.74	34.25
53	2009/5/7	1646-1706	26	121	50	22.54	34.26
54	2009/5/7	1356-1420	25.5	121	5	24.26	34.12
54	2009/5/7	1356-1420	25.5	121	25	23.81	34.15
54	2009/5/7	1356-1420	25.5	121	50	21.73	33.99
55	2009/5/7	1035-1109	25.5	121.5	5	24.19	34.2
55	2009/5/7	1035-1109	25.5	121.5	25	23.86	34.25
55	2009/5/7	1035-1109	25.5	121.5	50	21.97	34.29
56	2009/5/7	0735-0758	26	121.5	5	23.38	34.27
56	2009/5/7	0735-0758	26	121.5	25	22.25	34.17
56	2009/5/7	0735-0758	26	121.5	50	19.05	34.41
57	2009/5/7	0445-0505	26	122	5	23.4	34.28
57	2009/5/7	0445-0505	26	122	25	22.33	34.17
57	2009/5/7	0445-0505	26	122	50	19.11	34.41
58	2009/5/7	0143-0205	26	122.5	5	25.89	34.26
58	2009/5/7	0143-0205	26	122.5	25	25.89	34.3
58	2009/5/7	0143-0205	26	122.5	50	24.64	34.32
59	2009/5/6	2235-2303	26	123	5	25.97	34.1
59	2009/5/6	2235-2303	26	123	25	25.97	34.1
59	2009/5/6	2235-2303	26	123	50	25.96	34.11
60	2009/5/6	1900-1950	25.5	123	5	25.91	34.18
60	2009/5/6	1900-1950	25.5	123	25	25.51	34.15
60	2009/5/6	1900-1950	25.5	123	50	24.54	34.53
61	2009/5/6	1550-1620	25.5	122.5	5	26.16	34.23
61	2009/5/6	1550-1620	25.5	122.5	25	25.31	34.37
61	2009/5/6	1550-1620	25.5	122.5	50	23.79	34.65

62	2009/5/6	1240-1312	25.5	122	5	21.88	34.3
62	2009/5/6	1240-1312	25.5	122	25	20.39	34.38
62	2009/5/6	1240-1312	25.5	122	50	19.53	34.47