

Station	Date	Time	Latitude (°N)	Longitude	Depth (m)	Temperature	Salinity (psu)
1	2010/4/8	1410-1444	24.8833	122	5	22	34.52
1	2010/4/8	1410-1444	24.8833	122	25	21.1	34.55
1	2010/4/8	1410-1444	24.8833	122	50	19.67	34.55
2	2010/4/8	1714-1820	25	122.5	5	24.17	34.48
2	2010/4/8	1714-1820	25	122.5	25	24.19	34.49
2	2010/4/8	1714-1820	25	122.5	50	22.47	34.63
3	2010/4/8	2019-2053	25.0166	123.0166	5	24.51	34.67
3	2010/4/8	2019-2053	25.0166	123.0166	25	24.55	34.74
3	2010/4/8	2019-2053	25.0166	123.0166	50	24.44	34.76
4	2010/4/9	0131-0141	24.5166	122.5	5	24.91	34.77
4	2010/4/9	0131-0141	24.5166	122.5	25	24.94	34.78
4	2010/4/9	0131-0141	24.5166	122.5	50	24.96	34.79
5	2010/4/9	0509-0523	24.5166	122.0166	5	24.31	34.25
5	2010/4/9	0509-0523	24.5166	122.0166	25	24.17	34.36
5	2010/4/9	0509-0523	24.5166	122.0166	50	22.57	34.65
6	2010/4/9	0910-0952	24	121.7	5	24.01	34.06
6	2010/4/9	0910-0952	24	121.7	25	24.34	34.33
6	2010/4/9	0910-0952	24	121.7	50	24.23	34.35
7	2010/4/9	1213-1251	23.75	122	5	25.02	34.59
7	2010/4/9	1213-1251	23.75	122	25	24.95	34.59
7	2010/4/9	1213-1251	23.75	122	50	25.06	34.66
8	2010/4/9	1549-1630	23.75	122.5	5	25.05	34.58
8	2010/4/9	1549-1630	23.75	122.5	25	25.07	34.6
8	2010/4/9	1549-1630	23.75	122.5	50	25.09	34.74
9	2010/4/9	1920-2030	23.75	122.9833	5	24.6	34.79
9	2010/4/9	1920-2030	23.75	122.9833	25	24.59	34.79
9	2010/4/9	1920-2030	23.75	122.9833	50	24.55	34.78
10	2010/4/10	0052-0145	23	122.9833	5	25.08	34.81
10	2010/4/10	0052-0145	23	122.9833	25	25.08	34.81
10	2010/4/10	0052-0145	23	122.9833	50	25.08	34.81
11	2010/4/10	0401-0445	23	122.4833	5	24.76	34.73
11	2010/4/10	0401-0445	23	122.4833	25	24.76	34.73
11	2010/4/10	0401-0445	23	122.4833	50	24.77	34.73
12	2010/4/10	0716-1802	23	122	5	25.32	34.81
12	2010/4/10	0716-1802	23	122	25	25.32	34.81
12	2010/4/10	0716-1802	23	122	50	25.27	34.81
13	2010/4/10	1051-1130	23.0166	121.5	5	26.19	34.8
13	2010/4/10	1051-1130	23.0166	121.5	25	25.84	34.81
13	2010/4/10	1051-1130	23.0166	121.5	50	25.4	34.79
14	2010/4/10	1422-1517	22.6833	121.25	5	25.12	34.63
14	2010/4/10	1422-1517	22.6833	121.25	25	23.36	34.52
14	2010/4/10	1422-1517	22.6833	121.25	50	20.2	34.62
15	2010/4/10	1814-1852	22.25	121.0166	5	25.8	34.72
15	2010/4/10	1814-1852	22.25	121.0166	25	25.41	34.7
15	2010/4/10	1814-1852	22.25	121.0166	50	21.6	34.65

16	2010/4/10	2129-2154	22.2666	121.5	5	25.47	34.8
16	2010/4/10	2129-2154	22.2666	121.5	25	25.18	34.8
16	2010/4/10	2129-2154	22.2666	121.5	50	24.94	34.81
17	2010/4/11	0031-0130	22.2666	122	5	26.08	34.83
17	2010/4/11	0031-0130	22.2666	122	25	25.93	34.82
17	2010/4/11	0031-0130	22.2666	122	50	25.87	34.82
18	2010/4/11	0336-0436	22.25	122.5	5	25.98	34.83
18	2010/4/11	0336-0436	22.25	122.5	25	25.99	34.83
18	2010/4/11	0336-0436	22.25	122.5	50	25.62	34.8
19	2010/4/11	1014-1254	22.2333	123	5	25.53	34.79
19	2010/4/11	1014-1254	22.2333	123	25	25.46	34.79
19	2010/4/11	1014-1254	22.2333	123	50	25.36	34.79
20	2010/4/11	1214-1254	21.5	123	5	25.4	34.83
20	2010/4/11	1214-1254	21.5	123	25	24.82	34.82
20	2010/4/11	1214-1254	21.5	123	50	24.5	34.81
21	2010/4/11	1527-1627	21.5	122.5	5	25.37	34.82
21	2010/4/11	1527-1627	21.5	122.5	25	24.48	34.79
21	2010/4/11	1527-1627	21.5	122.5	50	24.32	34.79
22	2010/4/11	1842-1910	21.5166	122	5	25.24	34.81
22	2010/4/11	1842-1910	21.5166	122	25	24.8	34.81
22	2010/4/11	1842-1910	21.5166	122	50	24.42	34.78
23	2010/4/11	2215-2258	21.5	121.5	5	25.34	34.8
23	2010/4/11	2215-2258	21.5	121.5	25	24.96	34.8
23	2010/4/11	2215-2258	21.5	121.5	50	24.61	34.79
24	2010/4/12	0158-0238	21.5	121	5	27.22	34.84
24	2010/4/12	0158-0238	21.5	121	25	26.96	34.83
24	2010/4/12	0158-0238	21.5	121	50	25.6	34.69
25	2010/4/12	0532-0628	21.5	120.5	5	26.7	33.89
25	2010/4/12	0532-0628	21.5	120.5	25	26.06	34.05
25	2010/4/12	0532-0628	21.5	120.5	50	23.21	34.35
26	2010/4/12	1051-1130	21.5	120	5	25.98	34.4
26	2010/4/12	1051-1130	21.5	120	25	25.63	34.75
26	2010/4/12	1051-1130	21.5	120	50	24.5	34.69
27	2010/4/12	1200-1242	21.5	119.5	5	26.05	34.05
27	2010/4/12	1200-1242	21.5	119.5	25	25.69	34.61
27	2010/4/12	1200-1242	21.5	119.5	50	24.42	34.66
28	2010/4/12	1503-1541	21.5	119	5	26.51	34.74
28	2010/4/12	1503-1541	21.5	119	25	26.11	34.7
28	2010/4/12	1503-1541	21.5	119	50	24.93	34.55
29	2010/4/12	1840-1930	22	119	5	26.51	34.8
29	2010/4/12	1840-1930	22	119	25	26.26	34.81
29	2010/4/12	1840-1930	22	119	50	25.62	34.8
30	2010/4/12	2245-2315	22	119.5	5	25.35	34.39
30	2010/4/12	2245-2315	22	119.5	25	24.95	34.49
30	2010/4/12	2245-2315	22	119.5	50	24.81	34.56
31	2010/4/13	0300-0354	22	120	5	25.32	34.26

31	2010/4/13	0300-0354	22	120	25	24.82	34.32
31	2010/4/13	0300-0354	22	120	50	24.73	34.57
32	2010/4/13	0710-0733	22	120.5	5	26.26	34.05
32	2010/4/13	0710-0733	22	120.5	25	26.44	34.75
32	2010/4/13	0710-0733	22	120.5	50	24.09	34.73
33	2010/4/13	1054-1128	22.3666	120.3333	5	25.54	34.54
33	2010/4/13	1054-1128	22.3666	120.3333	25	25	34.57
33	2010/4/13	1054-1128	22.3666	120.3333	50	24.48	34.59
34	2010/4/13	1350-1434	22.5	120	5	26.6	34.72
34	2010/4/13	1350-1434	22.5	120	25	26.23	34.79
34	2010/4/13	1350-1434	22.5	120	50	25.38	34.56
35	2010/4/13	1751-1914	22.5	119.5	5	26.56	34.83
35	2010/4/13	1751-1914	22.5	119.5	25	26.47	34.82
35	2010/4/13	1751-1914	22.5	119.5	50	25.71	34.79
36	2010/4/13	2200-2212	22.5166	119.0166	5	24.85	34.41
36	2010/4/13	2200-2212	22.5166	119.0166	25	24.82	34.42
36	2010/4/13	2200-2212	22.5166	119.0166	50	24.49	34.48
37	2010/4/14	0823-0850	22.9333	119.1	5	23.56	34.46
37	2010/4/14	0823-0850	22.9333	119.1	25 -	-	
37	2010/4/14	0823-0850	22.9333	119.1	50 -	-	
38	2010/4/14	1153-1221	23	119.5	5	25.09	34.55
38	2010/4/14	1153-1221	23	119.5	25	22.99	34.66
38	2010/4/14	1153-1221	23	119.5	50	22.42	34.67
39	2010/4/16	1835-1852	23.0166	119.9	5	23.96	34.59
39	2010/4/16	1835-1852	23.0166	119.9	25	23.83	34.6
39	2010/4/16	1835-1852	23.0166	119.9	50	23.29	34.62
40	2010/4/16	2126-2143	23.5	119.9	5	22.69	34.6
40	2010/4/16	2126-2143	23.5	119.9	25	22.7	34.65
40	2010/4/16	2126-2143	23.5	119.9	50	22.64	34.64
41	2010/4/17	0004-0042	23.4333	119.4833	5	23.13	34.59
41	2010/4/17	0004-0042	23.4333	119.4833	25	23.15	34.61
41	2010/4/17	0004-0042	23.4333	119.4833	50	23.12	34.5
42	2010/4/17	0300-0332	23.4333	119	5	22.04	34.66
42	2010/4/17	0300-0332	23.4333	119	25	22.04	34.66
42	2010/4/17	0300-0332	23.4333	119	50 -	-	
43	2010/4/17	0700-0712	24	119	5	20.73	34.67
43	2010/4/17	0700-0712	24	119	25	20.73	34.67
43	2010/4/17	0700-0712	24	119	50	20.72	34.67
44	2010/4/17	1003-1017	24.1333	119.5	5	22.63	34.66
44	2010/4/17	1003-1017	24.1333	119.5	25	22.63	34.66
44	2010/4/17	1003-1017	24.1333	119.5	50	22.61	34.66
45	2010/4/17	1317-1350	24	120	5	23.28	34.67
45	2010/4/17	1317-1350	24	120	25	23.28	34.67
45	2010/4/17	1317-1350	24	120	50 -	-	
46	2010/4/17	1816-1854	24.5	120.5	5	22.38	34.64
46	2010/4/17	1816-1854	24.5	120.5	25	22.38	34.64

46	2010/4/17	1816-1854	24.5	120.5	50	-	-
47	2010/4/17	2105-2114	24.5	120	5	21.11	34.55
47	2010/4/17	2105-2114	24.5	120	25	21.17	34.51
47	2010/4/17	2105-2114	24.5	120	50	-	-
48	2010/4/18	0006-0018	24.5	119.5	5	22.16	34.68
48	2010/4/18	0006-0018	24.5	119.5	25	22.17	34.68
48	2010/4/18	0006-0018	24.5	119.5	50	22.14	34.67
49	2010/4/18	0529-0600	25	120	5	18.73	33.5
49	2010/4/18	0529-0600	25	120	25	18.79	33.53
49	2010/4/18	0529-0600	25	120	50	-	-
50	2010/4/18	0822-0855	25	120.5	5	20.11	34.11
50	2010/4/18	0822-0855	25	120.5	25	19.92	34.16
50	2010/4/18	0822-0855	25	120.5	50	20.61	34.5
51	2010/4/18	1054-1105	25.0833	120.9166	5	21.82	34.61
51	2010/4/18	1054-1105	25.0833	120.9166	25	21.82	34.61
51	2010/4/18	1054-1105	25.0833	120.9166	50	21.81	34.61
52	2010/4/18	1417-1459	25.5	120.5	5	17.94	32.99
52	2010/4/18	1417-1459	25.5	120.5	25	18.45	33.3
52	2010/4/18	1417-1459	25.5	120.5	50	19.51	33.84
53	2010/4/18	1822-1900	26	121	5	18.46	33.58
53	2010/4/18	1822-1900	26	121	25	18.46	33.61
53	2010/4/18	1822-1900	26	121	50	18.54	33.65
54	2010/4/18	2125-2210	25.5	121	5	21	34.42
54	2010/4/18	2125-2210	25.5	121	25	21.08	34.47
54	2010/4/18	2125-2210	25.5	121	50	21.12	34.49
55	2010/4/19	0053-0110	25.5	121.4833	5	20.72	34.56
55	2010/4/19	0053-0110	25.5	121.4833	25	20.57	34.59
55	2010/4/19	0053-0110	25.5	121.4833	50	19.95	34.58
56	2010/4/19	0400-0412	26	121.5	5	20.33	34.37
56	2010/4/19	0400-0412	26	121.5	25	20.39	34.4
56	2010/4/19	0400-0412	26	121.5	50	20.42	34.43
57	2010/4/19	0656-0730	26	122	5	20.87	34.59
57	2010/4/19	0656-0730	26	122	25	19.95	34.57
57	2010/4/19	0656-0730	26	122	50	19.45	34.64
58	2010/4/19	0952-1025	26.0166	122.4833	5	23.03	34.61
58	2010/4/19	0952-1025	26.0166	122.4833	25	22.94	34.63
58	2010/4/19	0952-1025	26.0166	122.4833	50	19.21	34.68
59	2010/4/19	1228-1242	26	123	5	24.87	34.73
59	2010/4/19	1228-1242	26	123	25	24.53	34.75
59	2010/4/19	1228-1242	26	123	50	23.9	34.74
60	2010/4/19	1548-1645	25.5166	123	5	25.26	34.59
60	2010/4/19	1548-1645	25.5166	123	25	24.96	34.77
60	2010/4/19	1548-1645	25.5166	123	50	24.52	34.79
61	2010/4/19	1941-2023	25.5166	122.5	5	25.91	34.66
61	2010/4/19	1941-2023	25.5166	122.5	25	25.22	34.68
61	2010/4/19	1941-2023	25.5166	122.5	50	24.8	34.74

62	2010/4/19	2240-2256	25.5	122	5	20.49	34.58
62	2010/4/19	2240-2256	25.5	122	25	20.48	34.58
62	2010/4/19	2240-2256	25.5	122	50	19.96	34.55