

Station	Date	Time	Latitude (°N)	Longitude	Depth (m)	Temperature	Salinity (psu)
1	2011/8/9	1948-2144	24.8666	122	5	27.64	33.62
1	2011/8/9	1948-2144	24.8666	122	25	26.77	33.67
1	2011/8/9	1948-2144	24.8666	122	50	24.98	33.85
2	2011/8/10	0015-0126	25	122.5166	5	28.6	33.97
2	2011/8/10	0015-0126	25	122.5166	25	27.72	34.45
2	2011/8/10	0015-0126	25	122.5166	50	25.3	34.49
3	2011/8/10	0328-0431	25	123	5	28.82	34.34
3	2011/8/10	0328-0431	25	123	25	28.76	34.34
3	2011/8/10	0328-0431	25	123	50	27.34	34.55
4	2011/8/10	0913-0955	24.5	122.5166	5	29.16	34.5
4	2011/8/10	0913-0955	24.5	122.5166	25	29.09	34.5
4	2011/8/10	0913-0955	24.5	122.5166	50	28.21	34.49
5	2011/8/10	1250-1348	24.5	122	5	28.95	33.84
5	2011/8/10	1250-1348	24.5	122	25	27.36	34.37
5	2011/8/10	1250-1348	24.5	122	50	25.29	34.83
6	2011/8/10	1756-1935	24.0333	121.7166	5	28.35	33.92
6	2011/8/10	1756-1935	24.0333	121.7166	25	23.87	34.28
6	2011/8/10	1756-1935	24.0333	121.7166	50	21.88	34.48
7	2011/8/10	2217-0008	23.8	122.0166	5	29.22	34.21
7	2011/8/10	2217-0008	23.8	122.0166	25	27.91	34.42
7	2011/8/10	2217-0008	23.8	122.0166	50	26.27	34.72
8	2011/8/11	0224-0330	23.7833	122.5166	5	29.32	34.42
8	2011/8/11	0224-0330	23.7833	122.5166	25	29.09	34.5
8	2011/8/11	0224-0330	23.7833	122.5166	50	28.06	34.58
9	2011/8/11	0600-0637	23.75	123	5	29.76	34.11
9	2011/8/11	0600-0637	23.75	123	25	29.74	34.11
9	2011/8/11	0600-0637	23.75	123	50	29.31	34.13
10	2011/8/11	1101-1142	23	123	5	29.49	34.5
10	2011/8/11	1101-1142	23	123	25	29.12	34.49
10	2011/8/11	1101-1142	23	123	50	29.02	34.5
11	2011/8/11	1406-1448	23	122.5	5	29.66	34.1
11	2011/8/11	1406-1448	23	122.5	25	28.72	34.22
11	2011/8/11	1406-1448	23	122.5	50	27.2	34.66
12	2011/8/11	1756-1933	23	122.0166	5	29.4	34.03
12	2011/8/11	1756-1933	23	122.0166	25	28.82	34.28
12	2011/8/11	1756-1933	23	122.0166	50	28.12	34.47
13	2011/8/11	2218-2318	22	123.5166	5	29.56	33.77
13	2011/8/11	2218-2318	22	123.5166	25	28.29	34.12
13	2011/8/11	2218-2318	22	123.5166	50	25.44	34.52
14	2011/8/12	0230-0348	24.6666	121.25	5	29.33	33.72
14	2011/8/12	0230-0348	24.6666	121.25	25	28.11	34.04
14	2011/8/12	0230-0348	24.6666	121.25	50	26.47	34.28
15	2011/8/12	0656-0835	22.25	121	5	28.27	33.97
15	2011/8/12	0656-0835	22.25	121	25	25.91	34.32
15	2011/8/12	0656-0835	22.25	121	50	24.13	34.55

16	2011/8/12	1055-1130	22.25	121.5	5	29.62	34.19
16	2011/8/12	1055-1130	22.25	121.5	25	28.93	34.31
16	2011/8/12	1055-1130	22.25	121.5	50	27.42	34.57
17	2011/8/12	1339-1425	22.25	122.0166	5	29.41	34.16
17	2011/8/12	1339-1425	22.25	122.0166	25	29.09	34.11
17	2011/8/12	1339-1425	22.25	122.0166	50	28.29	34.3
18	2011/8/12	1634-1715	22.25	122.5	5	29.7	34.34
18	2011/8/12	1634-1715	22.25	122.5	25	29.16	34.4
18	2011/8/12	1634-1715	22.25	122.5	50	27.95	34.6
19	2011/8/12	1938-2045	22.2333	123.0166	5	29.88	34.15
19	2011/8/12	1938-2045	22.2333	123.0166	25	28.5	34.47
19	2011/8/12	1938-2045	22.2333	123.0166	50	26.54	34.64
20	2011/8/13	0043-0155	21.4833	123.0166	5	29.43	34.31
20	2011/8/13	0043-0155	21.4833	123.0166	25	29.31	34.41
20	2011/8/13	0043-0155	21.4833	123.0166	50	29.06	34.45
21	2011/8/13	0428-0538	21.5	122.4833	5	29.57	34.36
21	2011/8/13	0428-0538	21.5	122.4833	25	29.38	34.37
21	2011/8/13	0428-0538	21.5	122.4833	50	27.26	34.7
22	2011/8/13	0750-0839	21.5	122	5	28.97	34.39
22	2011/8/13	0750-0839	21.5	122	25	28.82	34.4
22	2011/8/13	0750-0839	21.5	122	50	26.2	34.72
23	2011/8/13	1115-1215	21.4833	121.5	5	29.82	34.18
23	2011/8/13	1115-1215	21.4833	121.5	25	29.32	34.26
23	2011/8/13	1115-1215	21.4833	121.5	50	28.83	34.34
24	2011/8/13	1454-1540	21.5166	121.0333	5	29.3	33.22
24	2011/8/13	1454-1540	21.5166	121.0333	25	28.66	33.84
24	2011/8/13	1454-1540	21.5166	121.0333	50	28.8	34.36
25	2011/8/13	1835-1947	21.4833	120.5166	5	29.59	33.44
25	2011/8/13	1835-1947	21.4833	120.5166	25	29.55	33.45
25	2011/8/13	1835-1947	21.4833	120.5166	50	28.82	33.54
26	2011/8/13	2225-2543	21.4833	210.5166	5	29.76	33.58
26	2011/8/13	2225-2543	21.4833	210.5166	25	29.54	33.86
26	2011/8/13	2225-2543	21.4833	210.5166	50	26.21	34.15
27	2011/8/14	0220-0340	21.4833	119.5166	5	29.61	33.53
27	2011/8/14	0220-0340	21.4833	119.5166	25	29.24	33.72
27	2011/8/14	0220-0340	21.4833	119.5166	50	28.04	33.9
28	2011/8/14	0608-0650	21.5	119	5	29.8	33.39
28	2011/8/14	0608-0650	21.5	119	25	29.65	33.4
28	2011/8/14	0608-0650	21.5	119	50	28.74	34.02
29	2011/8/14	0923-1008	22	119	5	29.67	33.5
29	2011/8/14	0923-1008	22	119	25	29.21	33.54
29	2011/8/14	0923-1008	22	119	50	24.69	34.48
30	2011/8/14	1234-1325	22	119.5	5	29.96	33.61
30	2011/8/14	1234-1325	22	119.5	25	29.4	33.68
30	2011/8/14	1234-1325	22	119.5	50	27.48	34.52
31	2011/8/14	1546-1625	22	120	5	29.9	33.6

31	2011/8/14	1546-1625	22	120	25	29.58	33.58
31	2011/8/14	1546-1625	22	120	50	29.17	33.6
32	2011/8/14	1853-2000	22	120.5166	5	29.8	33.59
32	2011/8/14	1853-2000	22	120.5166	25	28.73	33.83
32	2011/8/14	1853-2000	22	120.5166	50	25.24	34.45
33	2011/8/14	2201-2236	22.3666	120.3166	5	29.02	33.81
33	2011/8/14	2201-2236	22.3666	120.3166	25	28.64	33.89
33	2011/8/14	2201-2236	22.3666	120.3166	50	28.07	33.99
34	2011/8/15	0011-0044	22.5	120	5	29.65	33.41
34	2011/8/15	0011-0044	22.5	120	25	29.24	33.59
34	2011/8/15	0011-0044	22.5	120	50	25.76	34.31
35	2011/8/15	0326-0400	22.5	119.5333	5	29.75	33.33
35	2011/8/15	0326-0400	22.5	119.5333	25	29.51	33.49
35	2011/8/15	0326-0400	22.5	119.5333	50	25.74	34.09
36	2011/8/15	0649-0710	22.5	119	5	29.72	32.97
36	2011/8/15	0649-0710	22.5	119	25	27.09	33.53
36	2011/8/15	0649-0710	22.5	119	50	22.75	34.33
37	2011/8/15	0915-0935	22.9666	119.01	5	27.39	34.14
37	2011/8/15	0915-0935	22.9666	119.01	25 -	-	-
37	2011/8/15	0915-0935	22.9666	119.01	50 -	-	-
38	2011/8/15	1122-1155	23	119.5	5	29.86	33.05
38	2011/8/15	1122-1155	23	119.5	25	29.55	33.04
38	2011/8/15	1122-1155	23	119.5	50	22.96	34.16
39	2011/8/15	1336-1359	23	119.9166	5	29.78	33.45
39	2011/8/15	1336-1359	23	119.9166	25	27.95	33.79
39	2011/8/15	1336-1359	23	119.9166	50	25.72	34.12
40	2011/8/15	1643-1710	23.4833	119.9166	5	29.93	33.15
40	2011/8/15	1643-1710	23.4833	119.9166	25	29.59	33.36
40	2011/8/15	1643-1710	23.4833	119.9166	50	27.5	33.82
41	2011/8/15	1916-1941	23.4333	119.5	5	25.7	33.7
41	2011/8/15	1916-1941	23.4333	119.5	25	25.6	33.73
41	2011/8/15	1916-1941	23.4333	119.5	50 -	-	-
42	2011/8/15	2157-2214	23.5	119	5	28.72	33.13
42	2011/8/15	2157-2214	23.5	119	25	26.89	33.6
42	2011/8/15	2157-2214	23.5	119	50 -	-	-
43	2011/8/16	0040-0101	24	119.0333	5	28.81	32.94
43	2011/8/16	0040-0101	24	119.0333	25	28.13	33.04
43	2011/8/16	0040-0101	24	119.0333	50 -	-	-
44	2011/8/16	0309-0345	24	119.5333	5	28.48	33.41
44	2011/8/16	0309-0345	24	119.5333	25	26.03	33.7
44	2011/8/16	0309-0345	24	119.5333	50 -	-	-
45	2011/8/16	0600-0619	24	120	5	28.03	33.66
45	2011/8/16	0600-0619	24	120	25	27.63	33.77
45	2011/8/16	0600-0619	24	120	50 -	-	-
46	2011/8/16	0927-0952	24.5	120.5	5	28.37	33.59
46	2011/8/16	0927-0952	24.5	120.5	25	27.98	33.64

46	2011/8/16	0927-0952	24.5	120.5	50	-	-
47	2011/8/16	1225-1257	24.5	120	5	28.12	33.36
47	2011/8/16	1225-1257	24.5	120	25	26.8	33.67
47	2011/8/16	1225-1257	24.5	120	50	-	-
48	2011/8/16	1529-1545	24.5	119.5166	5	28.57	32.75
48	2011/8/16	1529-1545	24.5	119.5166	25	26.1	33.74
48	2011/8/16	1529-1545	24.5	119.5166	50	-	-
49	2011/8/16	1854-1918	25	120	5	28.16	33.63
49	2011/8/16	1854-1918	25	120	25	24.19	33.96
49	2011/8/16	1854-1918	25	120	50	-	-
50	2011/8/16	2126-2200	25	120.4833	5	28.18	33.48
50	2011/8/16	2126-2200	25	120.4833	25	26.65	33.63
50	2011/8/16	2126-2200	25	120.4833	50	25.88	33.85
51	2011/8/16	2356-0020	25.0833	120.9	5	28.92	33.49
51	2011/8/16	2356-0020	25.0833	120.9	25	28.87	33.55
51	2011/8/16	2356-0020	25.0833	120.9	50	28.3	33.62
52	2011/8/17	0325-0345	25.4833	120.5166	5	25.63	33.87
52	2011/8/17	0325-0345	25.4833	120.5166	25	25.37	33.84
52	2011/8/17	0325-0345	25.4833	120.5166	50	-	-
53	2011/8/17	0654-0729	26	121	5	27.08	33.87
53	2011/8/17	0654-0729	26	121	25	25.58	33.81
53	2011/8/17	0654-0729	26	121	50	25.48	33.82
54	2011/8/17	1013-1039	25.5	121	5	28.56	33.43
54	2011/8/17	1013-1039	25.5	121	25	27.87	33.71
54	2011/8/17	1013-1039	25.5	121	50	27.4	33.78
55	2011/8/17	1305-1350	25.5	121.5	5	28.99	33.63
55	2011/8/17	1305-1350	25.5	121.5	25	28.76	33.63
55	2011/8/17	1305-1350	25.5	121.5	50	28.43	33.61
56	2011/8/17	1623-1645	26	121.5	5	28.26	33.5
56	2011/8/17	1623-1645	26	121.5	25	27.64	33.64
56	2011/8/17	1623-1645	26	121.5	50	26.26	33.82
57	2011/8/17	1909-1943	26	121.9833	5	28.87	33.7
57	2011/8/17	1909-1943	26	121.9833	25	28.5	33.76
57	2011/8/17	1909-1943	26	121.9833	50	25.88	33.83
58	2011/8/17	2254-2328	25.9833	122.5	5	28.35	33.77
58	2011/8/17	2254-2328	25.9833	122.5	25	27.09	33.69
58	2011/8/17	2254-2328	25.9833	122.5	50	22.57	34.04
59	2011/8/18	0220-0247	25.9833	123	5	28.23	34.15
59	2011/8/18	0220-0247	25.9833	123	25	26.88	34.33
59	2011/8/18	0220-0247	25.9833	123	50	22.66	34.63
60	-	-	-	-	5	-	-
60	-	-	-	-	25	-	-
60	-	-	-	-	50	-	-
61	2011/8/18	0957-1039	25.5	122.5166	5	28.16	33.93
61	2011/8/18	0957-1039	25.5	122.5166	25	25.84	34.26
61	2011/8/18	0957-1039	25.5	122.5166	50	21.81	34.65

62	2011/8/18	1415-1455	25.5	122.0166	5	26.89	33.98
62	2011/8/18	1415-1455	25.5	122.0166	25	22.33	34.32
62	2011/8/18	1415-1455	25.5	122.0166	50	19.29	34.56