

Station	Date	Time	Latitude(N)	Longitude(E)	Depth(m)	Temperature	Salinity(psu)
1	2013/10/10	1450-1536	24.8666	122	5	26	33.71
1	2013/10/10	1450-1536	25.5	122	25	24.98	33.87
1	2013/10/10	1450-1536	25.5166	122.5	50	21.99	34.03
2	2013/10/10	0045-1100	25.0333	122.4833	5	28.29	33.72
2	2013/10/10	0045-1100	24.8666	122	25	28.28	33.76
2	2013/10/10	0045-1100	25.5	122	50	27.5	34.03
3	-	-	25.5	123	-	-	-
3	-	-	25.5166	122.5	-	-	-
3	-	-	25.5	122	-	-	-
4	2013/10/10	0239-0326	-	-	5	27.89	34.58
4	2013/10/10	0239-0326	25.0333	122.4833	25	27.7	34.55
4	2013/10/10	0239-0326	24.8666	122	50	27.59	34.55
5	2012/10/9	2237-2337	24.5	122.5	5	28.27	33.28
5	2012/10/9	2237-2337	-	-	25	28.27	33.32
5	2012/10/9	2237-2337	25.0333	122.4833	50	25.86	33.85
6	2012/10/9	1814-1903	24.5166	122	5	28.56	33.39
6	2012/10/9	1814-1903	24.5	122.5	25	28.42	33.64
6	2012/10/9	1814-1903	-	-	50	27.91	33.9
7	2012/10/9	1430-1530	24.0166	121.6833	5	28.57	33.41
7	2012/10/9	1430-1530	24.5166	122	25	27.96	34.35
7	2012/10/9	1430-1530	24.5	122.5	50	27.71	34.53
8	2012/10/9	1030-1130	23.75	122.0166	5	28.22	34.58
8	2012/10/9	1030-1130	24.0166	121.6833	25	27.98	34.58
8	2012/10/9	1030-1130	24.5166	122	50	27.91	34.57
9	2012/10/9	0705-0801	23.75	122.5	5	27.97	34.51
9	2012/10/9	0705-0801	23.75	122.0166	25	27.96	34.51
9	2012/10/9	0705-0801	24.0166	121.6833	50	27.54	34.55
10	2012/10/9	0048-0148	23.75	123	5	27.9	34.44
10	2012/10/9	0048-0148	23.75	122.5	25	27.77	34.44
10	2012/10/9	0048-0148	23.75	122.0166	50	27.14	34.46
11	2013/10/8	2030-2135	23	123	5	28.4	34.1
11	2013/10/8	2030-2135	23.75	123	25	27.96	34.55
11	2013/10/8	2030-2135	23.75	122.5	50	27.87	34.56
12	2013/10/8	1632-1730	22.9833	122.5	5	28.5	33.64
12	2013/10/8	1632-1730	23	123	25	28.54	34.09
12	2013/10/8	1632-1730	23.75	123	50	28.53	34.18
13	2013/10/8	1246-1342	22.9833	122	5	28.46	33.13
13	2013/10/8	1246-1342	22.9833	122.5	25	28.2	33.37
13	2013/10/8	1246-1342	23	123	50	27.98	33.94
14	2013/10/8	0938-1036	23	121	5	28.49	33.38
14	2013/10/8	0938-1036	22.9833	122	25	28.59	33.86
14	2013/10/8	0938-1036	22.9833	122.5	50	28.77	34.23
15	2013/10/8	0614-0716	22.6833	121.25	5	28.48	33.39
15	2013/10/8	0614-0716	23	121	25	28.55	33.44
15	2013/10/8	0614-0716	22.9833	122	50	27.98	34.02

16	2013/10/8	0245-0340	22.25	121.6	5	28.58	33.9
16	2013/10/8	0245-0340	22.6833	121.25	25	28.32	34.3
16	2013/10/8	0245-0340	23	121	50	27.82	34.56
17	2013/10/7	2310-0011	22.25	121.4833	5	28.13	34.01
17	2013/10/7	2310-0011	22.25	121.6	25	27.88	34.56
17	2013/10/7	2310-0011	22.6833	121.25	50	27.27	34.49
18	2013/10/7	1945-2038	22.25	122	5	27.63	34.53
18	2013/10/7	1945-2038	22.25	121.4833	25	27.56	34.52
18	2013/10/7	1945-2038	22.25	121.6	50	26.11	34.56
19	2013/10/7	1613-1714	22.25	122.5	5	27.75	34.53
19	2013/10/7	1613-1714	22.25	122	25	27.72	34.53
19	2013/10/7	1613-1714	22.25	121.4833	50	27.63	34.52
20	2013/10/7	1026-1129	22.2333	123	5	28.33	33.92
20	2013/10/7	1026-1129	22.25	122.5	25	28.24	33.94
20	2013/10/7	1026-1129	22.25	122	50	28.25	34.25
21	2013/10/7	0714--0821	21.5	123	5	28.36	33.91
21	2013/10/7	0714--0821	22.2333	123	25	28.36	33.91
21	2013/10/7	0714--0821	22.25	122.5	50	28.37	33.91
22	2013/10/7	0400-0503	21.4833	122.5	5	28.43	33.89
22	2013/10/7	0400-0503	21.5	123	25	28.59	34.16
22	2013/10/7	0400-0503	22.2333	123	50	28.59	34.18
23	2012/10/7	0017-0124	21.4833	122	5	28.21	34.11
23	2012/10/7	0017-0124	21.4833	122.5	25	28.09	34.22
23	2012/10/7	0017-0124	21.5	123	50	27.89	34.41
24	2012/10/6	2023-2122	21.5	121.4166	5	28.66	33.63
24	2012/10/6	2023-2122	21.4833	122	25	28.67	33.68
24	2012/10/6	2023-2122	21.4833	122.5	50	28.69	34.09
25	2012/10/6	1631-1734	21.5	121.0166	5	28.22	33.33
25	2012/10/6	1631-1734	21.5	121.4166	25	28.18	33.36
25	2012/10/6	1631-1734	21.4833	122	50	27.61	33.89
26	2012/10/6	1256-1355	21.4833	120.4833	5	28.14	33.36
26	2012/10/6	1256-1355	21.5	121.0166	25	28.15	33.36
26	2012/10/6	1256-1355	21.5	121.4166	50	28.16	33.36
27	2013/10/6	0858-1004	21.5	119.9666	5	28.43	33.07
27	2013/10/6	0858-1004	21.4833	120.4833	25	28.44	33.07
27	2013/10/6	0858-1004	21.5	121.0166	50	28.17	33.37
28	2013/10/6	0442-0552	21.5	119.4833	5	28.14	33.33
28	2013/10/6	0442-0552	21.5	119.9666	25	28.15	33.33
28	2013/10/6	0442-0552	21.4833	120.4833	50	27.83	33.5
29	2013/10/6	0057-0157	21.5	119	5	28	33.35
29	2013/10/6	0057-0157	21.5	119.4833	25	28.02	33.35
29	2013/10/6	0057-0157	21.5	119.9666	50	28.02	33.41
30	2013/10/6	2133-2232	22	118.9833	5	28.26	33.34
30	2013/10/6	2133-2232	21.5	119	25	28.27	33.34
30	2013/10/6	2133-2232	21.5	119.4833	50	27.73	33.66
31	2013/10/5	1749-1859	22	119.5	5	28.24	33.38

31	2013/10/5	1749-1859	22	118.9833	25	28.26	33.38
31	2013/10/5	1749-1859	21.5	119	50	28.26	33.38
32	2013/10/5	1432-1519	22	120	5	28.43	33.29
32	2013/10/5	1432-1519	22	119.5	25	28.33	33.32
32	2013/10/5	1432-1519	22	118.9833	50	28.21	33.36
33	2013/10/5	1133-1224	22	120.4833	5	28.24	33.15
33	2013/10/5	1133-1224	22	120	25	28.09	33.4
33	2013/10/5	1133-1224	22	119.5	50	27.45	33.76
34	2013/10/5	0848-0940	22.3666	120.3166	5	28.12	33.42
34	2013/10/5	0848-0940	22	120.4833	25	28.07	33.53
34	2013/10/5	0848-0940	22	120	50	27.66	34.04
35	2013/10/5	0533-0622	22.5	120	5	27.37	33.75
35	2013/10/5	0533-0622	22.3666	120.3166	25	27.38	33.75
35	2013/10/5	0533-0622	22	120.4833	50	27.39	33.76
36	2013/10/5	0213-0250	22.5	119.5	5	26.36	33.69
36	2013/10/5	0213-0250	22.5	120	25	26.23	33.72
36	2013/10/5	0213-0250	22.3666	120.3166	50	26.08	33.75
37	2013/10/4	2345-0005	22.5	119	5	26.17	33.75
37	2013/10/4	2345-0005	22.5	119.5	25 -	-	-
37	2013/10/4	2345-0005	22.5	120	50 -	-	-
38	2013/10/4	2120-2155	22.9333	119.1	5	26.66	33.71
38	2013/10/4	2120-2155	22.5	119	25	24.8	33.88
38	2013/10/4	2120-2155	22.5	119.5	50	23.97	33.97
39	2013/10/4	1849-1933	23	119.4833	5	27.53	33.63
39	2013/10/4	1849-1933	22.9333	119.1	25	27.53	33.63
39	2013/10/4	1849-1933	22.5	119	50	26.4	33.84
40	2013/10/4	1536-1414	23.0166	119.9	5	26.37	33.68
40	2013/10/4	1536-1414	23	119.4833	25	26.36	33.68
40	2013/10/4	1536-1414	22.9333	119.1	50	26.16	33.72
41	2013/10/4	1220-1315	23.5	119.9	5	26.79	33.69
41	2013/10/4	1220-1315	23.0166	119.9	25	26.77	33.67
41	2013/10/4	1220-1315	23	119.4833	50 -	-	-
42	2013/10/4	0903-0954	23.4333	119.5	5	26.52	33.62
42	2013/10/4	0903-0954	23.5	119.9	25	26.52	33.62
42	2013/10/4	0903-0954	23.0166	119.9	50 -	-	-
43	2013/10/4	0529--0600	23.5	119	5	26.25	33.5
43	2013/10/4	0529--0600	23.4333	119.5	25	26.27	33.5
43	2013/10/4	0529--0600	23.5	119.9	50	26.27	33.49
44	2013/10/4	0229-0310	24	119	5	26.16	33.76
44	2013/10/4	0229-0310	23.5	119	25	26.16	33.76
44	2013/10/4	0229-0310	23.4333	119.5	50	25.27	33.96
45	2013/10/3	2335-0005	24	119.5	5	26.9	33.57
45	2013/10/3	2335-0005	24	119	25	26.91	33.56
45	2013/10/3	2335-0005	23.5	119	50 -	-	-
46	2013/10/3	1948-2016	24	120	5	26.26	33.66
46	2013/10/3	1948-2016	24	119.5	25	26.28	33.6

46	2013/10/3	1948-2016	24	119	50	-	-
47	2013/10/3	1534-1610	24.5	120.4833	5	26.16	33.71
47	2013/10/3	1534-1610	24	120	25	26.17	33.71
47	2013/10/3	1534-1610	24	119.5	50	26.17	33.71
48	2013/10/3	1138-1204	24.5	120	5	26.56	33.71
48	2013/10/3	1138-1204	24.5	120.4833	25	26.58	33.71
48	2013/10/3	1138-1204	24	120	50	26.57	33.71
49	2013/10/3	0725-0750	24.5	119.4833	5	26.44	33.61
49	2013/10/3	0725-0750	24.5	120	25	26.44	33.61
49	2013/10/3	0725-0750	24.5	120.4833	50	-	-
50	2013/10/3	0428-0505	25	120	5	26.21	33.53
50	2013/10/3	0428-0505	24.5	119.4833	25	26.22	33.53
50	2013/10/3	0428-0505	24.5	120	50	26.21	33.53
51	2013/10/3	0157-0227	25	120.45	5	26.77	33.57
51	2013/10/3	0157-0227	25	120	25	26.79	33.56
51	2013/10/3	0157-0227	24.5	119.4833	50	26.32	33.66
52	2013/10/2	2205-2236	25.4833	120.6666	5	25.9	33.68
52	2013/10/2	2205-2236	25	120.45	25	25.9	33.68
52	2013/10/2	2205-2236	25	120	50	25.91	33.68
53	2013/10/2	1810-1836	25.5	120.5	5	26.22	33.58
53	2013/10/2	1810-1836	25.4833	120.6666	25	26.24	33.58
53	2013/10/2	1810-1836	25	120.45	50	26.15	33.59
54	2013/10/2	1440-1510	26	121	5	26.43	33.61
54	2013/10/2	1440-1510	25.5	120.5	25	26.43	33.61
54	2013/10/2	1440-1510	25.4833	120.6666	50	26.35	33.61
55	2013/10/2	1106-1130	25.5	121	5	26.38	33.7
55	2013/10/2	1106-1130	26	121	25	26.31	33.68
55	2013/10/2	1106-1130	25.5	120.5	50	25.76	33.67
56	2013/10/2	0758-0830	25.5	121.5	5	26.68	33.68
56	2013/10/2	0758-0830	25.5	121	25	26.68	33.67
56	2013/10/2	0758-0830	26	121	50	25.02	33.81
57	2013/10/2	0509-0545	25.9833	121.5	5	25.94	33.77
57	2013/10/2	0509-0545	25.5	121.5	25	25.95	33.76
57	2013/10/2	0509-0545	25.5	121	50	23.05	33.83
58	2013/10/2	0151-0224	26	122	5	26.89	33.79
58	2013/10/2	0151-0224	25.9833	121.5	25	23.14	34.19
58	2013/10/2	0151-0224	25.5	121.5	50	20.22	34.34
59	2013/10/1	2238-2316	26	122.5	5	27.64	34.14
59	2013/10/1	2238-2316	26	122	25	26.54	34.12
59	2013/10/1	2238-2316	25.9833	121.5	50	23.15	34.7
60	2013/10/1	1858-1958	26	123	5	28.45	34.14
60	2013/10/1	1858-1958	26	122.5	25	28.47	34.14
60	2013/10/1	1858-1958	26	122	50	28.53	34.17
61	2013/10/1	1533-1628	25.5	123	5	25.95	33.83
61	2013/10/1	1533-1628	26	123	25	22.42	34.47
61	2013/10/1	1533-1628	26	122.5	50	21.74	34.52

62	2013/10/1	1200-1303	25.5166	122.5	5	25.43	33.8
62	2013/10/1	1200-1303	25.5	123	25	25.32	33.81
62	2013/10/1	1200-1303	26	123	50	24.58	33.8