

Station	Date	Time	Latitude(N	Longitude(E	Depth(m)	Temperature	Salinity(psu)
1	2014/4/16	2031-2212	24.8666	122	5	23.32	34.32
1	2014/4/16	2031-2212	24.8666	122	25	22.5	34.4
1	2014/4/16	2031-2212	24.8666	122	50	19.91	34.52
2	2014/4/16	2345-0120	25	122.5166	5	25.59	34.22
2	2014/4/16	2345-0120	25	122.5166	25	25.7	34.32
2	2014/4/16	2345-0120	25	122.5166	50	24.17	34.6
3	2014/4/17	0303-0430	25	123	5	26.19	34.69
3	2014/4/17	0303-0430	25	123	25	26.19	34.69
3	2014/4/17	0303-0430	25	123	50	26.06	34.68
4	2014/4/17	0807-0918	24.5	122.5	5	26.32	34.49
4	2014/4/17	0807-0918	24.5	122.5	25	26.34	34.51
4	2014/4/17	0807-0918	24.5	122.5	50	26.43	34.65
5	2014/4/17	1133-1252	24.5	122	5	25.26	34.17
5	2014/4/17	1133-1252	24.5	122	25	24.61	34.18
5	2014/4/17	1133-1252	24.5	122	50	21.87	34.58
6	2014/4/17	1539-1705	24	121.7	5	25.01	34.08
6	2014/4/17	1539-1705	24	121.7	25	23.25	34.43
6	2014/4/17	1539-1705	24	121.7	50	19.65	34.71
7	2014/4/17	1826-2013	23.7666	122	5	26.93	34.64
7	2014/4/17	1826-2013	23.7666	122	25	26.72	34.63
7	2014/4/17	1826-2013	23.7666	122	50	26.62	34.65
8	2014/4/17	0154-0340	23.75	122.5166	5	26.69	34.56
8	2014/4/17	0154-0340	23.75	122.5166	25	26.41	34.58
8	2014/4/17	0154-0340	23.75	122.5166	50	26.39	34.67
9	2014/4/18	0154-03405	23.2833	123.5833	5	25.67	34.46
9	2014/4/18	0154-03405	23.2833	123.5833	25	25.69	34.46
9	2014/4/18	0154-03405	23.2833	123.5833	50	24.22	34.65
10	2014/4/18	0610-0810	22.9666	123	5	26.01	34.63
10	2014/4/18	0610-0810	22.9666	123	25	25.14	34.55
10	2014/4/18	0610-0810	22.9666	123	50	23.62	34.83
11	2014/4/18	0956-1110	23	122.5166	5	26.44	34.71
11	2014/4/18	0956-1110	23	122.5166	25	26.32	34.71
11	2014/4/18	0956-1110	23	122.5166	50	26.24	34.72
12	2014/4/18	1320-1440	23	122	5	26.72	34.68
12	2014/4/18	1320-1440	23	122	25	26.55	34.72
12	2014/4/18	1320-1440	23	122	50	26.14	34.77
13	2014/4/18	1647-1815	23.0166	121.5	5	27.15	34.62
13	2014/4/18	1647-1815	23.0166	121.5	25	26.23	34.72
13	2014/4/18	1647-1815	23.0166	121.5	50	25.42	34.79
14	2014/4/18	2040-2205	24.6666	121.25	5	26.46	34.58
14	2014/4/18	2040-2205	24.6666	121.25	25	24.93	34.49
14	2014/4/18	2040-2205	24.6666	121.25	50	24.55	34.69
15	2014/4/19	0001-0050	22.25	121	5	26.27	34.54
15	2014/4/19	0001-0050	22.25	121	25	25.39	34.49
15	2014/4/19	0001-0050	22.25	121	50	23.5	34.44

16	2014/4/19	0145-0415	22.2666	121.5	5	27.02	34.7
16	2014/4/19	0145-0415	22.2666	121.5	25	26.83	34.71
16	2014/4/19	0145-0415	22.2666	121.5	50	26.48	34.73
17	2014/4/19	0419-0617	22.2333	122	5	27.09	34.71
17	2014/4/19	0419-0617	22.2333	122	25	27.04	34.71
17	2014/4/19	0419-0617	22.2333	122	50	26.62	34.71
18	2014/4/19	0935-1048	22.25	122.5	5	26.59	34.68
18	2014/4/19	0935-1048	22.25	122.5	25	26.5	34.68
18	2014/4/19	0935-1048	22.25	122.5	50	26.44	34.67
19	2014/4/19	1256-1412	22.2333	123	5	25.63	34.54
19	2014/4/19	1256-1412	22.2333	123	25	24.64	34.68
19	2014/4/19	1256-1412	22.2333	123	50	23.44	34.81
20	2014/4/19	1732-1840	21.5	123.0166	5	26.71	34.75
20	2014/4/19	1732-1840	21.5	123.0166	25	26.52	34.73
20	2014/4/19	1732-1840	21.5	123.0166	50	26.04	34.74
21	2014/4/19	2118-2228	21.5	122.5	5	26.78	34.77
21	2014/4/19	2118-2228	21.5	122.5	25	26.77	34.76
21	2014/4/19	2118-2228	21.5	122.5	50	26.64	34.76
22	2014/4/20	0028-0145	21.5	122	5	27.29	34.72
22	2014/4/20	0028-0145	21.5	122	25	27.18	34.71
22	2014/4/20	0028-0145	21.5	122	50	27.08	34.71
23	2014/4/20	0336-0445	21.5	121.5	5	26.67	34.74
23	2014/4/20	0336-0445	21.5	121.5	25	26.28	34.75
23	2014/4/20	0336-0445	21.5	121.5	50	25.82	34.76
24	2014/4/20	0700-0805	21.5	121	5	26.62	33.66
24	2014/4/20	0700-0805	21.5	121	25	26.61	34.09
24	2014/4/20	0700-0805	21.5	121	50	26.55	34.56
25	2014/4/20	0957-1110	21.5	120.4833	5	26.26	33.99
25	2014/4/20	0957-1110	21.5	120.4833	25	25.93	34.27
25	2014/4/20	0957-1110	21.5	120.4833	50	24.41	34.73
26	2014/4/20	1224-1406	21.5166	120	5	26.39	33.74
26	2014/4/20	1224-1406	21.5166	120	25	26.15	33.74
26	2014/4/20	1224-1406	21.5166	120	50	26.09	34.54
27	2014/4/20	1602-1715	21.5	119.5	5	26.69	34.24
27	2014/4/20	1602-1715	21.5	119.5	25	25.76	34.54
27	2014/4/20	1602-1715	21.5	119.5	50	24.03	34.67
28	2014/4/20	1910-2014	21.5	119	5	26.81	34.44
28	2014/4/20	1910-2014	21.5	119	25	26.19	34.61
28	2014/4/20	1910-2014	21.5	119	50	23.4	34.65
29	2014/4/20	2225-2345	22	119	5	26.88	34.45
29	2014/4/20	2225-2345	22	119	25	26.26	34.52
29	2014/4/20	2225-2345	22	119	50	24.12	34.84
30	2014/4/21	0145-0309	22	119.4833	5	26.39	34.18
30	2014/4/21	0145-0309	22	119.4833	25	26.42	34.34
30	2014/4/21	0145-0309	22	119.4833	50	25.13	34.75
31	2014/4/21	0525-0640	22	120	5	26.52	33.95

31	2014/4/21	0525-0640	22	120	25	26.49	34.23
31	2014/4/21	0525-0640	22	120	50	25.56	34.26
32	2014/4/21	0844-0946	22	120.5	5	26.5	34.21
32	2014/4/21	0844-0946	22	120.5	25	25.76	34.57
32	2014/4/21	0844-0946	22	120.5	50	24.79	34.54
33	2014/4/21	1130-1234	22.3666	120.3166	5	26.32	33.94
33	2014/4/21	1130-1234	22.3666	120.3166	25	25.95	33.94
33	2014/4/21	1130-1234	22.3666	120.3166	50	26.14	34.26
34	2014/4/21	1345-1446	22.4833	120	5	26.85	34.42
34	2014/4/21	1345-1446	22.4833	120	25	26.35	34.53
34	2014/4/21	1345-1446	22.4833	120	50	26.55	34.7
35	2014/4/21	1645-1735	22.5	119.5	5	26.91	34.39
35	2014/4/21	1645-1735	22.5	119.5	25	26.92	34.62
35	2014/4/21	1645-1735	22.5	119.5	50	26.27	34.61
36	2014/4/21	1934-2035	22.5	119	5	26.38	33.82
36	2014/4/21	1934-2035	22.5	119	25	26	33.84
36	2014/4/21	1934-2035	22.5	119	50	24.41	34.27
37	2014/4/21	2229-2311	23.0166	119	5	23.66	34.31
37	2014/4/21	2229-2311	23.0166	119	25	-	-
37	2014/4/21	2229-2311	23.0166	119	50	-	-
38	2014/4/22	0122-0201	23.0166	119.5	5	26.33	33.88
38	2014/4/22	0122-0201	23.0166	119.5	25	23.92	34.4
38	2014/4/22	0122-0201	23.0166	119.5	50	22.2	34.63
39	2014/4/22	0342-0440	23	119.9333	5	26.14	34.13
39	2014/4/22	0342-0440	23	119.9333	25	26.04	34.31
39	2014/4/22	0342-0440	23	119.9333	50	25.57	34.52
40	2014/4/24	0027-0130	23.4833	119.9166	5	25.55	34.31
40	2014/4/24	0027-0130	23.4833	119.9166	25	25.28	34.42
40	2014/4/24	0027-0130	23.4833	119.9166	50	24.52	34.47
41	2014/4/24	0255-0350	23.45	119.4833	5	24.38	34.3
41	2014/4/24	0255-0350	23.45	119.4833	25	24.37	34.31
41	2014/4/24	0255-0350	23.45	119.4833	50	24.34	34.32
42	2014/4/24	0711-0751	23.5	119	5	23.45	34.41
42	2014/4/24	0711-0751	23.5	119	25	23.46	34.41
42	2014/4/24	0711-0751	23.5	119	50	23.21	34.19
43	2014/4/24	1030-1140	23.9833	119	5	23.11	34.35
43	2014/4/24	1030-1140	23.9833	119	25	23.12	34.35
43	2014/4/24	1030-1140	23.9833	119	50	22.48	34.37
44	2014/4/24	1327-1415	24	119.4833	5	25.06	34.26
44	2014/4/24	1327-1415	24	119.4833	25	23.44	34.5
44	2014/4/24	1327-1415	24	119.4833	50	23.36	34.51
45	2014/4/24	1424-1433	24.3833	120.5166	5	25.29	34.38
45	2014/4/24	1424-1433	24.3833	120.5166	25	25.29	34.34
45	2014/4/24	1424-1433	24.3833	120.5166	50	-	-
46	2014/4/24	2107-2210	24.5	120.4666	5	24.92	34.37
46	2014/4/24	2107-2210	24.5	120.4666	25	24.41	34.42

46	2014/4/24	2107-2210	24.5	120.4666	50	23.45	34.39
47	2014/4/25	0013-0109	24.5	120	5	23.6	34.44
47	2014/4/25	0013-0109	24.5	120	25	23.6	34.44
47	2014/4/25	0013-0109	24.5	120	50	23.49	34.45
48	2014/4/25	0318-0402	24.5166	119.5	5	24.76	34.41
48	2014/4/25	0318-0402	24.5166	119.5	25	24.28	34.43
48	2014/4/25	0318-0402	24.5166	119.5	50	23.73	34.48
49	2014/4/25	0658-0739	25	120	5	23.19	34.37
49	2014/4/25	0658-0739	25	120	25	22.76	34.35
49	2014/4/25	0658-0739	25	120	50	21.55	34.41
50	2014/4/25	0934-1030	25.0166	120.5666	5	22.26	34.4
50	2014/4/25	0934-1030	25.0166	120.5666	25	22.26	34.4
50	2014/4/25	0934-1030	25.0166	120.5666	50	22.24	34.4
51	2014/4/25	1155-1235	25.0833	120.9	5	24.96	34.34
51	2014/4/25	1155-1235	25.0833	120.9	25	24.6	34.35
51	2014/4/25	1155-1235	25.0833	120.9	50	23.88	34.4
52	2014/4/30	1547-1650	25.5	120.5	5	18.33	31.96
52	2014/4/30	1547-1650	25.5	120.5	25	19.65	33.04
52	2014/4/30	1547-1650	25.5	120.5	50	20.32	34.25
53	2014/4/30	1920-2010	25.9833	120.9833	5	23.07	34.43
53	2014/4/30	1920-2010	25.9833	120.9833	25	23.08	34.43
53	2014/4/30	1920-2010	25.9833	120.9833	50	22.64	34.4
54	2014/4/30	1247-1340	25.5	121	5	24.41	34.4
54	2014/4/30	1247-1340	25.5	121	25	24.41	34.4
54	2014/4/30	1247-1340	25.5	121	50	23.22	34.41
55	2014/4/30	0957-1038	25.5	121.5	5	23.18	34.44
55	2014/4/30	0957-1038	25.5	121.5	25	23.12	34.44
55	2014/4/30	0957-1038	25.5	121.5	50	22.21	34.44
56	2014/4/30	2220-2309	26	121.5	5	23.45	34.39
56	2014/4/30	2220-2309	26	121.5	25	23.35	34.39
56	2014/4/30	2220-2309	26	121.5	50	18.66	34.56
57	2014/5/1	0108-0220	26	122	5	21.84	34.44
57	2014/5/1	0108-0220	26	122	25	21.07	34.5
57	2014/5/1	0108-0220	26	122	50	19.07	34.59
58	2014/5/2	0338-0425	26	122.5	5	24.45	34.53
58	2014/5/2	0338-0425	26	122.5	25	22.31	34.5
58	2014/5/2	0338-0425	26	122.5	50	19.72	34.57
59	2014/5/1	0600-0700	26	123	5 -	-	-
59	2014/5/1	0600-0700	26	123	25 -	-	-
59	2014/5/1	0600-0700	26	123	50 -	-	-
60	2014/5/1	0940-1110	25.5	123	5 -	-	-
60	2014/5/1	0940-1110	25.5	123	25 -	-	-
60	2014/5/1	0940-1110	25.5	123	50 -	-	-
61	2014/4/16	1520-1630	25.5	122.4833	5	22.19	34.48
61	2014/4/16	1520-1630	25.5	122.4833	25	20.94	34.52
61	2014/4/16	1520-1630	25.5	122.4833	50	19.33	34.58

62	2014/4/16	1238-1336	25.4833	122.0166	5	20.42	34.65
62	2014/4/16	1238-1336	25.4833	122.0166	25	20.21	34.65
62	2014/4/16	1238-1336	25.4833	122.0166	50	18.82	34.65